Chemical Safety Data Sheet MSDS / SDS

4-Chlorophenol

Revision Date:2025-02-01 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

| : 4-Chlorophenol | | | | | | | |
|--|--|--|--|--|--|--|--|
| : CB9477357 | | | | | | | |
| : 106-48-9 | | | | | | | |
| : 203-402-6 | | | | | | | |
| : 4-chlorophenol,PARA CHLORO PHENOL | | | | | | | |
| Relevant identified uses of the substance or mixture and uses advised against | | | | | | | |
| : For R&D use only. Not for medicinal, household or other use. | | | | | | | |
| : none | | | | | | | |
| | | | | | | | |
| : Chemicalbook | | | | | | | |
| : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing | | | | | | | |
| : 010-86108875 | | | | | | | |
| | | | | | | | |

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Warning

Precautionary statements

P302+P352 IF ON SKIN: wash with plenty of soap and water.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

Hazard statements

H413 May cause long lasting harmful effects to aquatic life

H411 Toxic to aquatic life with long lasting effects

H401 Toxic to aquatic life

H332 Harmful if inhaled

H312 Harmful in contact with skin

1

SECTION 3: Composition/information on ingredients

Substance

| Product name | : 4-Chlorophenol |
|--------------|-------------------------------------|
| Synonyms | : 4-chlorophenol,PARA CHLORO PHENOL |
| CAS | : 106-48-9 |
| EC number | : 203-402-6 |
| MF | : C6H5CIO |
| MW | : 128.56 |
| | |

SECTION 4: First aid measures

Description of first aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Carbon oxides Hydrogen chloride gas Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

NFPA 704

| 4 | 1 | 0 |
|---------------|---|--|
| HEALTH | 4 | Very short exposure could cause death or major residual injury (e.g. hydrogen cyanide, phosgene, methyl isocyanate, <u>hydrofluoric acid</u>) |
| FIRE | 1 | Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. mineral oil, ammonia) |
| REACT | 0 | Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, <u>N2</u>) |
| SPEC. HAZ. | | |

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons. Store under inert gas. Stench.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril? L This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nttrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril? L Body Protection protective clothing Respiratory protection Recommended Filter type: Filter type P2 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

| Appearance | solid |
|---|---|
| Odour | Stench. |
| Odour Threshold | 30 ppm |
| pН | No data available |
| Melting point/freezing point | 42-45 °C |
| Initial boiling point and boiling range | 220 °C - lit. |
| Flash point | 121 °C - closed cup |
| Evaporation rate | No data available |
| Flammability (solid, gas) | No data available |
| Upper/lower flammability or explosive | No data available |
| limits | |
| Vapour pressure | 1 hPa at 49,8 °C |
| Vapour density | 4.43 (vs air) |
| Relative density | No data available |
| Water solubility | 25,7 g/l at 20 °C - OECD Test Guideline 105- slightly soluble |
| Partition coefficient: n-octanol/water | log Pow: 1,8 - 2,5 at 35 °C - Bioaccumulation is not expected. |
| Autoignition temperature | No data available |
| Decomposition temperature | No data available |
| Viscosity | Viscosity, kinematic: No data available Viscosity, dynamic: 4,99 mPa.s at 50 $^\circ\mathrm{C}$ |
| Explosive properties | No data available |
| Oxidizing properties | No data available |

Other safety information

SECTION 10: Stability and reactivity

Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

increased reactivity with:

Oxidizing agents Acid anhydrides acid halides

Conditions to avoid

Strong heating.

Incompatible materials

Aluminum, various plastics, Copper, copper compounds

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 627,97 mg/kg (Calculation method)

LD50 Oral - Rat - 670 mg/kg Remarks: (RTECS)

Acute toxicity estimate Inhalation - 4 h - 1,46 mg/l (Calculation method)

Acute toxicity estimate Inhalation - 4 h - 1,5 mg/l (Expert judgment)

Acute toxicity estimate Dermal - 1.467 mg/kg (Calculation method)

LD50 Dermal - Rat - 1.500 mg/kg

Remarks: Behavioral:Muscle contraction or spasticity. Extremely corrosive and destructive to tissue. (RTECS)

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 1 - 8 h

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye damage. (OECD Test Guideline 405) Respiratory or skin sensitization No data available Germ cell mutagenicity Test Type: Micronucleus test Test system: Human lymphocytes Metabolic activation: without metabolic activation Method: OECD Test Guideline 487 Result: negative Carcinogenicity No data available **Reproductive toxicity** No data available Specific target organ toxicity - single exposure No data available Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available Toxicity LD50 orally in rats: 0.67 g/kg (Deichmann)

SECTION 12: Ecological information

Toxicity

Toxicity to fish semi-static test LC50 - Oryzias latipes - 4,9 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to algae

static test ErC50 - Chlorella vulgaris (Fresh water algae) - 29 mg/l - 96 h

(OECD Test Guideline 201)

static test ErC50 - Selenastrum capricornutum (green algae) - 38 mg/l - 96 h

(OECD Test Guideline 201)

Persistence and degradability

No data available

Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp) - 42 d

4 µg/l(4-Chlorophenol)

Bioconcentration factor (BCF): 11 - 52 Cyprinus carpio (Carp) - 42 d

40 µg/l(4-Chlorophenol)

Mobility in soil

No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and

containers, or contact us there if you have further questions.

Incompatibilities

May form explosive mixture with air. Contact with oxidizing agents can cause fire and explosion hazard. Heat produces hydrogen chloride and

chlorine. Corrosive to aluminum, copper and other chemically active metals.

Waste Disposal

Incinerate in admixture with flammable solvent in furnace equipped with afterburner and scrubber.

SECTION 14: Transport information

UN number

ADR/RID: 2020 IMDG: 2020 IATA: 2020

UN proper shipping name

ADR/RID: CHLOROPHENOLS, SOLID IMDG: CHLOROPHENOLS, SOLID

IATA: Chlorophenols, solid

| 44.0 | Transport hazard class(es) | |
|------|---------------------------------------|-----------|
| 14.3 | ADR/RID: 6.1 IMDG: 6.1 | IATA: 6.1 |
| 14.4 | Packaging group | |
| 14.4 | Adr/Rid: III IMdg: III | IATA: III |
| 14.5 | Environmental hazards | |
| 14.5 | ADR/RID: no IMDG Marine pollutant: no | IATA: no |
| 14.6 | Special precautions for user | |
| 14.0 | No data available | |

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous Chemicals China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/ Measures for Environmental Management of New Chemical Substances United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/ EC Inventory:Listed. New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/ Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/ European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/ Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/ Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

SECTION 16: Other information

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.