

Chemical Safety Data Sheet MSDS / SDS

Allyl methacrylate

Revision Date:2026-03-21 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : Allyl methacrylate
CBnumber : CB6724241
CAS : 96-05-9
EINECS Number : 202-473-0
Synonyms : METHACRYLIC ACID ALLYL ESTER;SR-201

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.
P314 Get medical advice/attention if you feel unwell.

Hazard statements

H226 Flammable liquid and vapour
H302 Harmful if swallowed
H311 Toxic in contact with skin
H330 Fatal if inhaled

H373 May cause damage to organs through prolonged or repeated exposure

H410 Very toxic to aquatic life with long lasting effects

SECTION 3: Composition/information on ingredients

Substance

Product name	: Allyl methacrylate
Synonyms	: METHACRYLIC ACID ALLYL ESTER;SR-201
CAS	: 96-05-9
EC number	: 202-473-0
MF	: C7H10O2
MW	: 126.15

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.


5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

NFPA 704



<input checked="" type="checkbox"/>	HEALTH	3	Short exposure could cause serious temporary or moderate residual injury (e.g. liquid hydrogen , sulfuric acid , calcium hypochlorite , hexafluorosilicic acid)
<input checked="" type="checkbox"/>	FIRE	3	Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions. Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, acetone)
<input checked="" type="checkbox"/>	REACT	1	Normally stable, but can become unstable at elevated temperatures and pressures (e.g. propene)
<input type="checkbox"/>	SPEC.		
<input type="checkbox"/>	HAZ.		

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g.

Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage stability Recommended storage temperature

2 - 8 °C

Light sensitive.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm

Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

a) Physical state	liquid
b) Color	colorless
c) Odor	No data available
d) Melting point/freezing point	Melting point: -75 °C at 1.021 hPa - OECD Test Guideline 102
e) Initial boiling point and boiling range	59 - 61 °C at 57 hPa - lit.
f) Flammability (solid, gas)	No data available
g) Upper/lower flammability or explosive limits	No data available
h) Flash point	34,5 °C - closed cup - closed cup
i) Autoignition temperature	No data available
j) Decomposition temperature	No data available
k) pH	No data available

i) Viscosity	Viscosity, kinematic: 0,62 mm ² /s at 40 °C - OECD Test Guideline 114 Viscosity, dynamic: No data available
m) Water solubility	2,2 g/l at 20 °C - OECD Test Guideline 105
n) Partition coefficient n-octanol/water	log Pow: 2,15 at 25 °C - OECD Test Guideline 117 - Bioaccumulation is not expected.
o) Vapor pressure	4,7 hPa at 20 °C - OECD Test Guideline 104
p) Density	0,938 g/cm ³ at 25 °C - lit.
Relative density	0.938 g/mL at 25 °C (lit.)
q) Relative vapor density	No data available
r) Particle characteristics	No data available
s) Explosive properties	Not classified as explosive.
t) Oxidizing properties	none

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heating.

10.5 Incompatible materials

acids, Bases, Oxidizing agents, Peroxides Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 470 mg/kg (Calculation method)

LD50 Oral - Rat - male - 470 mg/kg (OECD Test Guideline 401)

Acute toxicity estimate Inhalation - 4 h - 1,47 mg/l - vapor(Calculation method)

LC50 Inhalation - Rat - male and female - 4 h - 1,47 mg/l - vapor (OECD Test Guideline 403)

Acute toxicity estimate Dermal - 467 mg/kg (Calculation method)

LD50 Dermal - Rabbit - male - 467 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 24 h

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Oral

Method: OECD Test Guideline 475

Result: negative

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

Specific target organ toxicity - repeated exposure

Oral - May cause damage to organs through prolonged or repeated exposure.

- Liver

Aspiration hazard

Classified based on available data. For more details, see section 2

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - NOAEL (No observed adverse effect level) - 15 mg/kg - LOAEL (Lowest observed adverse effect level) - 60 mg/kg

RTECS: UD3483000

Cough, Shortness of breath, Headache, Nausea, Vomiting, Dizziness

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

We have no description of any toxic symptoms.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 0,61 mg/l - 96 h (Regulation (EC) No. 440/2008, Annex, C.1)

Toxicity to daphnia static test EC50 - Daphnia - 2,4 mg/l - 48 h and other aquatic (OECD Test Guideline 202) invertebrates

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (algae) - 59,6 mg/l - 96 h (OECD Test Guideline 201)

Toxicity to daphnia semi-static test NOEC - Daphnia magna (Water flea) - 0,125 mg/l - and other aquatic 21 d invertebrates(Chronic (OECD Test Guideline 211) toxicity)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 67,3 % - Readily biodegradable.

(OECD Test Guideline 301D) aerobic - Exposure time 14 d

Result: 62 % - Readily biodegradable.

(OECD Test Guideline 301C)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission

Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: 2929

IMDG: 2929

IATA: 2929

14.2 UN proper shipping name

ADR/RID: TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S. (allyl methacrylate)

IMDG: TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S. (allyl methacrylate)

IATA: Toxic liquid, flammable, organic, n.o.s. (allyl methacrylate)

14.3 Transport hazard class(es)

ADR/RID: 6.1 (3)

IMDG: 6.1 (3)

IATA: 6.1 (3)

14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

14.5 Environmental hazards

ADR/RID: yes

IMDG Marine pollutant: yes

IATA: no

14.6 Special precautions for user

Tunnel restriction code : (D/E)

Further information : No data available

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the H2 ACUTE TOXIC

European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1 ENVIRONMENTAL HAZARDS

P5c FLAMMABLE LIQUIDS

H2 ACUTE TOXIC

P5c FLAMMABLE LIQUIDS

E1 ENVIRONMENTAL HAZARDS

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road

AIRC - Australian Inventory of Industrial Chemicals

ASTM - American Society for the Testing of Materials

bw - Body weight

CMR - Carcinogen, Mutagen or Reproductive Toxicant

DIN - Standard of the German Institute for Standardisation

DSL - Domestic Substances List (Canada)

EC_x - Concentration associated with x% response

EL_x - Loading rate associated with x% response

EmS - Emergency Schedule

ENCS - Existing and New Chemical Substances (Japan)

ErC_x - Concentration associated with x% growth rate response

GHS - Globally Harmonized System

GLP - Good Laboratory Practice

IARC - International Agency for Research on Cancer

IATA - International Air Transport Association

IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IC₅₀ - Half maximal inhibitory concentration

ICAO - International Civil Aviation Organization

IECSC - Inventory of Existing Chemical Substances in China

IMDG - International Maritime Dangerous Goods

IMO - International Maritime Organization

ISHL - Industrial Safety and Health Law (Japan)

ISO - International Organisation for Standardization

KECI - Korea Existing Chemicals Inventory

LC₅₀ - Lethal Concentration to 50 % of a test population

LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose)

MARPOL - International Convention for the Prevention of Pollution from Ships

n.o.s. - Not Otherwise Specified

NO(A)EC - No Observed (Adverse) Effect Concentration

NO(A)EL - No Observed (Adverse) Effect Level

NOELR - No Observable Effect Loading Rate

NZIoC - New Zealand Inventory of Chemicals

OECD - Organization for Economic Co-operation and Development

OPPTS - Office of Chemical Safety and Pollution Prevention

PBT - Persistent, Bioaccumulative and Toxic substance

PICCS - Philippines Inventory of Chemicals and Chemical Substances

(Q)SAR - (Quantitative) Structure Activity Relationship

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

RID - Regulations concerning the International Carriage of Dangerous Goods by Rail

SADT - Self-Accelerating Decomposition Temperature

SDS - Safety Data Sheet

TCSI - Taiwan Chemical Substance Inventory

TECI - Thailand Existing Chemicals Inventory

TSCA - Toxic Substances Control Act (United States)

UN - United Nations

UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

vPvB - Very Persistent and Very Bioaccumulative

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.