

Chemical Safety Data Sheet MSDS / SDS

Barium peroxide

Revision Date:2026-06-27 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : Barium peroxide
CBnumber : CB6853015
CAS : 1304-29-6
EINECS Number : 215-128-4
Synonyms : Barium Peroxide,barium dioxide

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

Hazard statements

H272 May intensify fire; oxidizer

H314 Causes severe skin burns and eye damage

SECTION 3: Composition/information on ingredients

Substance

Product name	: Barium peroxide
Synonyms	: Barium Peroxide, barium dioxide
CAS	: 1304-29-6
EC number	: 215-128-4
MF	: BaO ₂
MW	: 169.33

SECTION 4: First aid measures

General advice

First aiders need to protect themselves. Show this safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Protection of first-aiders

For personal protection see section 8.

Notes to physician

No data available

SECTION 5: Firefighting measures

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Water Foam Carbon dioxide (CO₂)

Specific hazards during fire fighting

Not combustible. Has a fire-promoting effect due to release of oxygen. Ambient fire may liberate hazardous vapours.

Hazardous combustion products

Barium oxide


Specific extinguishing methods

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

NFPA 704



■ HEALTH 1 Exposure would cause irritation with only minor residual injury (e.g. [acetone](#), sodium bromate, potassium chloride)

■ FIRE 0 Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

■ REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium,[N₂](#))

□ SPEC. OX
HAZ.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7: Handling and storage

Handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Storage

Further information on storage conditions

Tightly closed. Separately or together with other oxidising substances only and away from sources of ignition and heat. Because of their oxidation potential these products can raise the burning rate of combustible substances substantially or ignite combustible substances on contact with them.

Storage class

5.1A, Strongly oxidizing hazardous materials

Recommended storage temperature

Recommended storage temperature see product label.

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Engineering measures

No data available

Personal protective equipment

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type

Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

Skin and body protection

protective clothing

Hand protection**Material**

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Full contact

Manufacturer

KCL 741 L

Material

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Splash contact

Manufacturer

KCL 741 L

Remarks

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: www.kcl.de).

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

solid

Color

light grey

Odor

odourless

Odor Threshold

No data available

pH

ca. 12 (20 °C)

Concentration: 10 g/l

Melting point/ range

450 °C point

Boiling point/boiling range

loses O₂ at 800 °C

Flash point

21 °C

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Flammability (liquids)

No data available

Burning rate

No data available

Upper explosion limit / Upper flammability limit

No data available

Lower explosion limit / Lower flammability limit

No data available

Vapor pressure

No data available

Relative vapor density

No data available

Relative density

4,96 g/cm³

Density

4.96 g/cm³ (20 °C)

Water solubility

0.91 g/l (20 °C)

Partition coefficient: n-octanol/water

No data available

Autoignition temperature

not combustible

Decomposition temperature

No data available

Viscosity, dynamic

No data available

Viscosity, kinematic

No data available

Flow time

No data available

Explosive properties

No data available

Oxidizing properties

The substance or mixture is classified as oxidizing with the category 2.

Molecular weight

169.34 g/mol

Particle characteristics Particle size

No data available

Bulk density

ca. 1,700 - 2,000 kg/m³

Solubility

reacts with dilute acid solutions

Physical state

Powder

SECTION 10: Stability and reactivity

Reactivity

No data available

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Risk of explosion with: powdered aluminium combustible substances Acetic anhydride hydroxylamine Organic Substances Water performic acid Risk of ignition or formation of inflammable gases or vapours with: carbon dioxide Carbon monoxide powdered magnesium Powdered metals sulphur dioxide hydrogen sulphide selenium

Conditions to avoid

no information available

Incompatible materials

No data available

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 500.1 mg/kg (Expert judgement)

Acute toxicity estimate Inhalation - 1.6 mg/l - dust/mist (Expert judgement)

Dermal: No data available

LD50 Subcutaneous - Mouse - 50 mg/kg

Skin corrosion/irritation

Skin - in vitro membrane barrier

Result: Causes burns.

(OECD Test Guideline 435)

Serious eye damage/eye irritation

Remarks: Causes eye burns.

Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

Germ cell mutagenicity

Classified based on available data. For more details, see section 2

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

Aspiration hazard

Classified based on available data. For more details, see section 2

11.2 Additional Information

RTECS: CR0175000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

Ecotoxicity

Components:

barium peroxide:

Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 14.5 mg/l End point: mortality Exposure time: 48 h Test Type: static test

Persistence and degradability

Components:

barium peroxide:

Biodegradability

Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Components:

barium peroxide:

Additional ecological information

Biological effects: Hazard for drinking water supplies. Harmful effect due to pH shift. Further information on ecology Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

Disposal methods

Waste from residues

Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 14: Transport information

International Regulations

IATA-DGR

UN/ID No. : UN 1449

Proper shipping name : Barium peroxide

Class : 5.1

Subsidiary risk : 6.1

Packing group : II

Labels : Division 5.1 - Oxidizing substances, Division 6.1 Toxic substances

Packing instruction (cargo aircraft) : 562

Packing instruction (passenger aircraft) : 558

IMDG-Code

UN number : UN 1449

Proper shipping name : BARIUM PEROXIDE

Class : 5.1

Subsidiary risk : 6.1

Packing group : II

Labels : 5.1 (6.1)

EmS Code : F-G, S-Q

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

JT/T 617

UN number : UN 1449

Proper shipping name : BARIUM PEROXIDE

Class : 5.1

Subsidiary risk : 6.1

Packing group : II

Labels : 5.1 (6.1)

Environmentally hazardous : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and

SECTION 15: Regulatory information

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

No. / Code Chemical name / Category Threshold quantity

W9.2 Oxidising solids and liquids 200 t

Hazardous Chemicals for Priority Management

Not applicable under SAWS

Catalogue of Specially Controlled Hazardous

Not listed Chemicals

List of Explosive Precursors

Listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export

Not applicable

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals

Not listed

Regulations on the Administration of Controlled Chemicals

List of Controlled Chemicals

Not listed

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances

Not listed

List of Controlled Ozone Depleting Substances Import and Export

Not listed

Environmental Protection Law

List of Priority Controlled Chemicals

Not listed

List of Key Controlled New Pollutants

Not listed

SECTION 16: Other information

Full text of other abbreviations

ACGIH

USA. ACGIH Threshold Limit Values (TLV)

GBZ 2.1-2007

Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA

8-hour, time-weighted average

GBZ 2.1-2007 / PC-TWA

Permissible concentration - time weighted average

GBZ 2.1-2007 / PC-STEL AIC - Australian Invent Transport by Land of Bra bw - Body weight; CMR Standard of the German List (Canada); ECx - Conc associated with x% respo Chemical Substances (Jap response; ERG - Emerge GLP - Good Laboratory P cer; IATA - International Construction and Equipm Half maximal inhibitory c tion; IECSC - Inventory o tional Maritime Dangerou Industrial Safety and H Standardisation; KECI - K tration to 50 % of a test (Median Lethal Dose); MA lution from Ships; MERC of Dangerous Goods; n.o. - No Observed (Adverse) fect Level; NOELR - No Norm; NTP - National Toxi icals; OECD - Organisatio fice of Chemical Safety a and Toxic substance; PIC stances; (Q)SAR - (Quant (EC) No 1907/2006 of th Registration, Evaluation, Accelerating Decompositi Chemical Substance Inve Thailand Existing Chemicala States); UN - United Nat Transport of Dangerous **WHMIS - Workplace Hazar**

Permissible concentration - short term exposure limit ry of Industrial Chemicals

ANTT - National Agency for il

ASTM - American Society for the Testing of Materials

- Carcinogen, Mutagen or Reproductive Toxicant

DIN nstitute for Standardisation

DSL - Domestic Substances ntration associated with x% response

ELx - Loading rate se

EmS - Emergency Schedule

ENCS - Existing and New n)

ErCx - Concentration associated with x% growth rate cy Response Guide

GHS - Globally Harmonised System

actice

IARC - International Agency for Research on Cancer Transport Association
 IBC - International Code for the Transport of Ships carrying Dangerous Chemicals in Bulk
 LC50 - Lethal Concentration
 ICAO - International Civil Aviation Organization - Existing Chemical Substances in China
 IMDG - International Maritime Dangerous Goods
 IMO - International Maritime Organisation
 ISHL - International Safety Law (Japan)
 ISO - International Organisation for Standardisation
 LC50 - Lethal Concentration
 LD50 - Lethal Dose to 50% of a test population
 POL - International Convention for the Prevention of Pollution from Ships
 SUR - The Agreement for the Facilitation of Transport - Not Otherwise Specified
 NCh - Chilean Norm
 NO(A)EC - No Observed Effect Concentration
 NO(A)EL - No Observed (Adverse) Effect Loading Rate
 NOM - Official Mexican Standard
 NZIoC - New Zealand Inventory of Chemicals for Economic Co-operation and Development
 OPPTS - Office of Pollution Prevention and Control
 PBT - Persistent, Bioaccumulative and Toxic - Philippines Inventory of Chemicals and Chemical Substances Structure Activity Relationship
 REACH - Regulation of the European Parliament and of the Council concerning the Restriction and Regulation of Chemicals
 SADT - Self-Accelerating Decomposition Temperature
 SDS - Safety Data Sheet
 TCSI - Taiwan Chemical Safety Information
 TDG - Transportation of Dangerous Goods
 TECS - Toxicity Evaluation and Control System
 TSCA - Toxic Substances Control Act (United States)
 UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods
 vPvB - Very Persistent and Very Bioaccumulative
 GHS - Globally Harmonized System of Classification and Labelling of Chemicals

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.