

Chemical Safety Data Sheet MSDS / SDS

Arsenic(III) oxide

Revision Date:2026-04-04 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name : Arsenic(III) oxide
CBnumber : CB9236345
CAS : 1327-53-3
EINECS Number : 215-481-4
Synonyms : ARSENIC TRIOXIDE,As₂O₃

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification**GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Danger

Precautionary statements

P405 Store locked up.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

Hazard statements

H410 Very toxic to aquatic life with long lasting effects

H400 Very toxic to aquatic life

H350 May cause cancer

H318 Causes serious eye damage

H314 Causes severe skin burns and eye damage

SECTION 3: Composition/information on ingredients

Substance

Product name	: Arsenic(III) oxide
Synonyms	: ARSENIC TRIOXIDE,As ₂ O ₃
CAS	: 1327-53-3
EC number	: 215-481-4
MF	: As ₂ O ₃
MW	: 197.84

SECTION 4: First aid measures

First Aid Measures

General advice

Immediate medical attention is required.

Eye contact

Keep eye wide open while rinsing. Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub affected area.

Skin Contact

Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

Inhalation

Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Ingestion

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Immediate medical attention is required. Remove from exposure, lie down.

Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms

No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur.

Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

SECTION 5: Firefighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Hazardous combustion products

No information available.

Explosion data

Sensitivity to Mechanical Impact

No information available.

Sensitivity to Static Discharge


No information available.

Protective equipment and precautions for firefighters

Protective equipment and precautions Wear self-contained breathing apparatus and protective suit.

for firefighters

NFPA 704



■ HEALTH 3 Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium hypochlorite](#), hexafluorosilicic acid)

■ FIRE 0 Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

■ REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium,[N2](#))

□ SPEC.

□ HAZ.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Environmental precautions

Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up

Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Avoid creating dust. Dam up. After cleaning, flush away traces with water.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. May cause damage to organs through prolonged or repeated exposure.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Store at room temperature.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure Guidelines

.

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Column 1	Column 2	Column 3	Column 4
Arsenic(III) oxide 1327-53-3	TWA: 0.01 mg/m ³ As	TWA: 10 µg/m ³ As	IDLH: 5 mg/m ³ As Ceiling: 0.002 mg/m ³ As 15 min

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection

Tight sealing safety goggles. Face protection shield.

Skin and Body Protection

Wear protective gloves and protective clothing.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Physical State	Solid
Appearance	powder
Odor	No information available
pH	No information available
Melting point/freezing point	313 °C
Boiling point	460 °C
Flash point	465°C subl.
Liquid Density	3.74 g/cm ³
Evaporation rate	No information available
Upper flammability limits	No information available
Lower flammability limit	No information available
Vapor pressure	.000001 mmHg

Vapor density	No information available
Specific gravity	No information available
Water solubility	37 g/L (20 °C)
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Density and/or relative density	3,738 g/cm ³
Solubility	37 g/L (20°C)
Colour	White

SECTION 10: Stability and reactivity

Reactivity

Not applicable

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

No information available.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation

Classified based on available data. For more details, see section 2.

Eye contact

Classified based on available data. For more details, see section 2.

Skin Contact

Classified based on available data. For more details, see section 2.

Ingestion

Classified based on available data. For more details, see section 2.

Information on toxicological effects**Symptoms**

Classified based on available data. For more details, see section 2.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Chronic Toxicity**

Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects. May cause adverse liver effects. Target Organ Effects Kidney, Liver, Lymphatic System, Lungs, Skin. Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name ACGIH IARC NTP OSHA**Arsenic(III) oxide A1 Group**

1 Known X 1327-53-3

Numerical measures of toxicity - Product Information**Unknown acute toxicity**

Classified based on available data. For more details, see section 2

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

20 mg/kg

ATEmix (inhalation-dust/mist)

0.5 mg/l

SECTION 12: Ecological information**Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Arsenic(III) oxide 1327-53-3	-	1000: 96 h Oncorhynchus mykiss mg/L LC50 static 18.8 - 21.4: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 135: 96 h Pimephales promelas mg/L LC50	-	0.96: 96 h Daphnia magna mg/L LC50 3.9 - 4.5: 24 h Daphnia magna mg/L EC50

0% of the mixture consists of component(s) of unknown hazards to the aquatic environment.

LC50 flow

through 135: 96 h

Pimephales promelas mg/L

LC50

0% of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Persistence and degradability No information available. Bioaccumulation No information available. Mobility No information available.

SECTION 13: Disposal considerations

Disposal of wastes

Should not be released into the environment. Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used.

US EPA Waste Number

P012

SECTION 14: Transport information

DOT

UN/ID no

UN1561

Hazard Class

6.1

Packing Group

II

Proper shipping name

Arsenic trioxide Reportable Quantity (RQ) (Arsenic(III) oxide: RQ (kg)= 0.454)

Description

UN1561, Arsenic trioxide, 6.1, II

Emergency Response Guide Number

151

IMDG

UN/ID no

UN1561

Hazard Class

6.1

Packing Group

II

Proper shipping name

Arsenic trioxide

Description

UN1561, Arsenic trioxide, 6.1, II, Marine pollutant

EmS-No

F-A, S-A

IATA

UN/ID no

UN1561

Hazard Class

6.1

Packing Group

II

Proper shipping name

Arsenic trioxide

Description

UN1561, Arsenic trioxide, 6.1, II

ERG Code

6L

SECTION 15: Regulatory information

International Inventories

All of the components in the product are on the following Inventory lists

TSCA (United States): Canada (DSL/NDSL) Europe (EINECS/ELINCS/NLP) Australia (AICS) South Korea (KECL): China (IECSC)

ENCS (Japan): Philippines (PICCS)

X - Listed

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Chemical name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Arsenic(III) oxide	X	X	-	X	-	X	X	X	X	X

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute health hazard

Yes

Chronic Health Hazard

Yes

Fire hazard

No

Sudden release of pressure hazard

No

Reactive hazard

No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Arsenic(III) oxide 1327-53-3	1 lb	X		X

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Arsenic(III) oxide - 1327-53-3	Carcinogen Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Arsenic(III) oxide 1327-53-3	X	X	X

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

TWA: Time-Weighted Average

STEL: Short-Term Exposure Limit

LD50: Lethal Dose 50%

LC50: Lethal Concentration 50%

EC50: Effective Concentration 50%

PEL: Permissible Exposure Limit

TLV: Threshold Limit Value

IMDG: International Maritime Dangerous Goods Code

IATA: International Air Transport Association

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

DOT: US Department of Transportation

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety and Health Administration

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.