

## Chemical Safety Data Sheet MSDS / SDS

## Barium peroxide

Revision Date:2026-03-21 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : Barium peroxide  
CBnumber : CB6853015  
CAS : 1304-29-6  
EINECS Number : 215-128-4  
Synonyms : GYHB;Ba(O<sub>2</sub>)

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

## Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

## Hazard statements

H412 Harmful to aquatic life with long lasting effects

H314 Causes severe skin burns and eye damage

## SECTION 3: Composition/information on ingredients

### Substance

Product name	: Barium peroxide
Synonyms	: GYHB;Ba(O <sub>2</sub> )
CAS	: 1304-29-6
EC number	: 215-128-4
MF	: BaO <sub>2</sub>
MW	: 169.33

---

## SECTION 4: First aid measures

### General advice

First aiders need to protect themselves. Show this safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

### Protection of first-aiders

For personal protection see section 8.

### Notes to physician

No data available

---

## SECTION 5: Firefighting measures

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

Water Foam Carbon dioxide (CO<sub>2</sub>)

### Specific hazards during fire fighting

Not combustible. Has a fire-promoting effect due to release of oxygen. Ambient fire may liberate hazardous vapours.

### Hazardous combustion products

Barium oxide


### Specific extinguishing methods

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### NFPA 704



■ HEALTH 1 Exposure would cause irritation with only minor residual injury (e.g. [acetone](#), sodium bromate, potassium chloride)

■ FIRE 0 Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

■ REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium,[N<sub>2</sub>](#))

□ SPEC. OX  
HAZ.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

### Environmental precautions

Do not let product enter drains.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

---

## SECTION 7: Handling and storage

### Handling

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

### Storage

#### Further information on storage conditions

Tightly closed. Separately or together with other oxidising substances only and away from sources of ignition and heat. Because of their oxidation potential these products can raise the burning rate of combustible substances substantially or ignite combustible substances on contact with them.

#### Storage class

5.1A, Strongly oxidizing hazardous materials

#### Recommended storage temperature

Recommended storage temperature see product label.

---

## SECTION 8: Exposure controls/personal protection

### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### Engineering measures

No data available

### Personal protective equipment

#### Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### Recommended Filter type

Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

**Skin and body protection**

protective clothing

**Hand protection****Material**

Nitrile rubber

**Break through time**

480 min

**Glove thickness**

0.11 mm

**Protective index**

Full contact

**Manufacturer**

KCL 741 L

**Material**

Nitrile rubber

**Break through time**

480 min

**Glove thickness**

0.11 mm

**Protective index**

Splash contact

**Manufacturer**

KCL 741 L

**Remarks**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

---

## SECTION 9: Physical and chemical properties

**Information on basic physicochemical properties**

solid

---

**Color**

light grey

**Odor**

odourless

**Odor Threshold**

No data available

**pH**

ca. 12 (20 °C)

Concentration: 10 g/l

**Melting point/ range**

450 °C point

**Boiling point/boiling range**

loses O<sub>2</sub> at 800 °C

**Flash point**

21 °C

**Evaporation rate**

No data available

**Flammability (solid, gas)**

No data available

**Flammability (liquids)**

No data available

**Burning rate**

No data available

**Upper explosion limit / Upper flammability limit**

No data available

**Lower explosion limit / Lower flammability limit**

No data available

**Vapor pressure**

No data available

**Relative vapor density**

No data available

**Relative density**

4,96 g/cm<sup>3</sup>

**Density**

4.96 g/cm<sup>3</sup> (20 °C)

**Water solubility**

0.91 g/l (20 °C)

**Partition coefficient: n-octanol/water**

No data available

**Autoignition temperature**

not combustible

**Decomposition temperature**

No data available

**Viscosity, dynamic**

No data available

**Viscosity, kinematic**

No data available

**Flow time**

No data available

**Explosive properties**

No data available

**Oxidizing properties**

The substance or mixture is classified as oxidizing with the category 2.

**Molecular weight**

169.34 g/mol

**Particle characteristics Particle size**

No data available

**Bulk density**

ca. 1,700 - 2,000 kg/m<sup>3</sup>

**Solubility**

reacts with dilute acid solutions

**Physical state**

Powder

---

**SECTION 10: Stability and reactivity****Reactivity**

No data available

**Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

### **Possibility of hazardous reactions**

Risk of explosion with: powdered aluminium combustible substances Acetic anhydride hydroxylamine Organic Substances Water performic acid Risk of ignition or formation of inflammable gases or vapours with: carbon dioxide Carbon monoxide powdered magnesium Powdered metals sulphur dioxide hydrogen sulphide selenium

### **Conditions to avoid**

no information available

### **Incompatible materials**

No data available

### **Hazardous decomposition products**

In the event of fire: see section 5

---

## **SECTION 11: Toxicological information**

### **11.1 Information on toxicological effects**

#### **Acute toxicity**

Acute toxicity estimate Oral - 500.1 mg/kg (Expert judgement)

Acute toxicity estimate Inhalation - 1.6 mg/l - dust/mist (Expert judgement)

Dermal: No data available

LD50 Subcutaneous - Mouse - 50 mg/kg

#### **Skin corrosion/irritation**

Skin - in vitro membrane barrier

Result: Causes burns.

(OECD Test Guideline 435)

#### **Serious eye damage/eye irritation**

Remarks: Causes eye burns.

#### **Respiratory or skin sensitization**

Classified based on available data. For more details, see section 2

#### **Germ cell mutagenicity**

Classified based on available data. For more details, see section 2

#### **Carcinogenicity**

Classified based on available data. For more details, see section 2

#### **Reproductive toxicity**

Classified based on available data. For more details, see section 2

#### **Specific target organ toxicity - single exposure**

Classified based on available data. For more details, see section 2

#### **Specific target organ toxicity - repeated exposure**

Classified based on available data. For more details, see section 2

#### **Aspiration hazard**

Classified based on available data. For more details, see section 2

## 11.2 Additional Information

RTECS: CR0175000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

## SECTION 12: Ecological information

### Ecotoxicity

#### Components:

##### barium peroxide:

#### Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 14.5 mg/l End point: mortality Exposure time: 48 h Test Type: static test

#### Persistence and degradability

#### Components:

##### barium peroxide:

#### Biodegradability

Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

#### Components:

##### barium peroxide:

#### Additional ecological information

Biological effects: Hazard for drinking water supplies. Harmful effect due to pH shift. Further information on ecology Discharge into the environment must be avoided.

---

## SECTION 13: Disposal considerations

### Disposal methods

## **Waste from residues**

Offer surplus and non-recyclable solutions to a licensed disposal company.

---

# SECTION 14: Transport information

## **International Regulations**

### **IATA-DGR**

UN/ID No. : UN 1449

Proper shipping name : Barium peroxide

Class : 5.1

Subsidiary risk : 6.1

Packing group : II

Labels : Division 5.1 - Oxidizing substances, Division 6.1 Toxic substances

Packing instruction (cargo aircraft) : 562

Packing instruction (passenger aircraft) : 558

### **IMDG-Code**

UN number : UN 1449

Proper shipping name : BARIUM PEROXIDE

Class : 5.1

Subsidiary risk : 6.1

Packing group : II

Labels : 5.1 (6.1)

EmS Code : F-G, S-Q

Marine pollutant : no

## **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

## **National Regulations**

### **JT/T 617**

UN number : UN 1449

Proper shipping name : BARIUM PEROXIDE

Class : 5.1

Subsidiary risk : 6.1

Packing group : II

Labels : 5.1 (6.1)

Environmentally hazardous : no

## **Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and

variations in regional or country regulations.

---

## SECTION 15: Regulatory information

### **National regulatory information**

#### **Law on the Prevention and Control of Occupational Diseases**

#### **Regulations on Safety Management of Hazardous Chemicals**

#### **Catalogue of Hazardous Chemicals**

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

#### **No. / Code Chemical name / Category Threshold quantity**

#### **W9.2 Oxidising solids and liquids 200 t**

#### **Hazardous Chemicals for Priority Management**

Not applicable under SAWS

#### **Catalogue of Specially Controlled Hazardous**

Not listed Chemicals

#### **List of Explosive Precursors**

Listed

#### **Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals**

#### **China Severely Restricted Toxic Chemicals for Import and Export**

Not applicable

#### **Regulation on the Administration of Precursor Chemicals**

#### **Catalogue and Classification of Precursor Chemicals**

Not listed

#### **Regulations on the Administration of Controlled Chemicals**

#### **List of Controlled Chemicals**

Not listed

#### **Regulations of Ozone Depleting Substances Management**

#### **List of Controlled Ozone Depleting Substances**

Not listed

## List of Controlled Ozone Depleting Substances Import and Export

Not listed

## Environmental Protection Law

## List of Priority Controlled Chemicals

Not listed

## List of Key Controlled New Pollutants

Not listed

---

## SECTION 16: Other information

### Full text of other abbreviations

#### ACGIH

USA. ACGIH Threshold Limit Values (TLV)

#### GBZ 2.1-2007

Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

#### ACGIH / TWA

8-hour, time-weighted average

#### GBZ 2.1-2007 / PC-TWA

Permissible concentration - time weighted average

**GBZ 2.1-2007 / PC-STEL AIC - Australian Invent Transport by Land of Bra bw - Body weight; CMR Standard of the German List (Canada); ECx - Conc associated with x% respo Chemical Substances (Jap response; ERG - Emerge GLP - Good Laboratory P cer; IATA - International Construction and Equipm Half maximal inhibitory c tion; IECSC - Inventory o tional Maritime Dangerou Industrial Safety and H Standardisation; KECl - K tration to 50 % of a test (Median Lethal Dose); MA lution from Ships; MERC of Dangerous Goods; n.o. - No Observed (Adverse) fect Level; NOELR - No Norm; NTP - National Toxi icals; OECD - Organisatio fice of Chemical Safety a and Toxic substance; PIC stances; (Q)SAR - (Quant (EC) No 1907/2006 of th Registration, Evaluation, Accelerating Decompositi Chemical Substance Inve Thailand Existing Chemical States); UN - United Nat Transport of Dangerous WHMIS - Workplace Hazar**

Permissible concentration - short term exposure limit ry of Industrial Chemicals

ANTT - National Agency for il

ASTM - American Society for the Testing of Materials

- Carcinogen, Mutagen or Reproductive Toxicant

DIN nstitute for Standardisation

DSL - Domestic Substances ntration associated with x% response

ELx - Loading rate se

EmS - Emergency Schedule

ENCS - Existing and New n)

ErCx - Concentration associated with x% growth rate cy Response Guide

GHS - Globally Harmonised System

actice

IARC - International Agency for Research on Cancer

IBC - International Code for the Intention of Ships carrying Dangerous Chemicals in Bulk

IC50 - Concentration

ICAO - International Civil Aviation Organization - Existing Chemical Substances in China

IMDG - International Maritime Dangerous Goods

IMO - International Maritime Organisation

ISHL - International Safety Law (Japan)

ISO - International Organisation for Standardisation

LC50 - Lethal Concentration

LD50 - Lethal Dose to 50% of a test population

POL - International Convention for the Prevention of Pollution from Ships

SUR - The Agreement for the Facilitation of the Transport of Dangerous Goods - Not Otherwise Specified

NCh - Chilean Norm

NO(A)EC - No Observed (Adverse) Effect Concentration

NO(A)EL - No Observed (Adverse) Effect Loading Rate

NOM - Official Mexican Standard

NZIoC - New Zealand Inventory of Chemicals for Economic Co-operation and Development

OPPTS - Office of Pollution Prevention and Control

PBT - Persistent, Bioaccumulative and Toxic - Philippines Inventory of Chemicals and Chemical Substances Structure Activity Relationship

REACH - Regulation of the European Parliament and of the Council concerning the Restriction of Chemicals

SADT - Self-Accelerating Decomposition Temperature

SDS - Safety Data Sheet

TCSI - Taiwan Chemical Safety Inventory

TDG - Transportation of Dangerous Goods

TECS - Toxic Chemicals Inventory

TSCA - Toxic Substances Control Act (United States)

UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

vPvB - Very Persistent and Very Bioaccumulative

GHS - Globally Harmonized System of Classification and Labelling of Chemicals

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.