

Chemical Safety Data Sheet MSDS / SDS

Benzoic anhydride

Revision Date:2026-06-13 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : Benzoic anhydride
CBnumber : CB1260942
CAS : 93-97-0
EINECS Number : 202-291-1
Synonyms : benzoic anhydride,benzoyl benzoate

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P314 Get medical advice/attention if you feel unwell.

Hazard statements

H315 Causes skin irritation

H318 Causes serious eye damage

SECTION 3: Composition/information on ingredients

Substance

Product name	: Benzoic anhydride
Synonyms	: benzoic anhydride, benzoyl benzoate
CAS	: 93-97-0
EC number	: 202-291-1
MF	: C ₁₄ H ₁₀ O ₃
MW	: 226.23

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

4.4 Notes to physician

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.


Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Prevent fire extinguishing water from contaminating surface water or the ground water system.

NFPA 704



HEALTH 3 Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium hypochlorite](#), hexafluorosilicic acid)

FIRE 1 Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. [mineral oil](#), ammonia)

REACT 1 Normally stable, but can become unstable at elevated temperatures and pressures (e.g. [propene](#))

SPEC.

HAZ.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Store under inert gas. Moisture sensitive.

Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

a) Physical state	crystalline
b) Color	light yellow
c) Odor	No data available
d) Melting point/freezing point	Melting point: 42.5 °C
e) Initial boiling point and boiling range	360 °C
f) Flammability (solid, gas)	No data available
g) Upper/lower flammability or explosive limits	No data available
h) Flash point	113 °C - closed cup
i) Autoignition temperature	No data available
j) Decomposition temperature	No data available
k) pH	No data available
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m) Water solubility	0.01 g/L
n) Partition coefficient n-octanol/water	No data available
o) Vapor pressure	No data available
p) Density	1.20 g/cm ³ at 20 °C

Relative density	1.199 g/mL at 25 °C(lit.)
q) Relative vapor density	No data available
r) Particle characteristics	No data available
s) Explosive properties	No data available
t) Oxidizing properties	none
Solubility	0.01g/l (experimental)

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.2 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

Strong acids

Bases

10.3 Conditions to avoid

Strong heating.

10.4 Incompatible materials

Strong oxidizing agents

10.5 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Mouse - male and female - 2,250 mg/kg (OECD Test Guideline 401)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Benzoic acid

LC50 Inhalation - Rat - male and female - 4 h - > 12.2 mg/l - dust/mist

Remarks: (ECHA) (in analogy to similar products)

The value is given in analogy to the following substances: Benzoic acid

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg

Remarks: (ECHA) (in analogy to similar products)

The value is given in analogy to the following substances: Benzoic acid

Skin corrosion/irritation

Skin - Guinea pig

Result: Skin irritation - 3 h

Remarks: (ECHA)

The value is given in analogy to the following substances: Benzoic acid

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Benzoic acid

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Corrosive - 21 Days (Directive 67/548/EEC, Annex V, B.5.)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Benzoic acid

Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

Germ cell mutagenicity

Classified based on available data. For more details, see section 2

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure.

- Lungs

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

The value is given in analogy to the following substances: Benzoic acid

Aspiration hazard

Classified based on available data. For more details, see section 2

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish static test LC50 - *Lepomis macrochirus* - 44.6 mg/l - 96 h (US-EPA)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Benzoic acid

Toxicity to daphnia static test LC50 - *Daphnia magna* (Water flea) - > 100 mg/l - 48 h and other aquatic (US-EPA) invertebrates Remarks: (in

analogy to similar products)

The value is given in analogy to the following substances: Benzoic acid

Toxicity to algae static test ErC50 - *Pseudokirchneriella subcapitata* - > 33.1 mg/l - 72 h (OECD Test Guideline 201)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Benzoic acid

Toxicity to bacteria static test IC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Benzoic acid

Toxicity to semi-static test EC50 - *Oncorhynchus mykiss* (rainbow trout) - > 120 fish(Chronic toxicity) mg/l - 28 d (OECD Test Guideline 204)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Benzoic acid

Toxicity to daphnia semi-static test EC50 - *Daphnia magna* (Water flea) - > 25 mg/l - and other aquatic 21 d invertebrates(Chronic (OECD Test Guideline 211) toxicity) Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Benzoic acid

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 14: Transport information

14.1 UN number

ADR/RID: -

IMDG: -

IATA-DGR: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods

IMDG: Not dangerous goods

IATA-DGR: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: -

IMDG: -

IATA-DGR: -

14.4 Packaging group

ADR/RID: -

IMDG: -

IATA-DGR: -

14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA-DGR: no

14.6 Special precautions for user

14.7 Incompatible materials

Strong oxidizing agents

Further information: Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Other regulations

Please pay attention on the waste treatment should also comply with local regulations requirement.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

TWA: Time-Weighted Average

STEL: Short-Term Exposure Limit

LD50: Lethal Dose 50%

LC50: Lethal Concentration 50%

EC50: Effective Concentration 50%

PEL: Permissible Exposure Limit

TLV: Threshold Limit Value

IMDG: International Maritime Dangerous Goods Code

IATA: International Air Transport Association

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

DOT: US Department of Transportation

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety and Health Administration

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.