Chemical Safety Data Sheet MSDS / SDS

Boron trichloride

Revision Date:2025-02-01 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name	: Boron trichloride				
CBnumber	: CB8852623				
CAS	: 10294-34-5				
EINECS Number	: 233-658-4				
Synonyms	: bcl3,boron trichloride				
Relevant identified uses of the substance or mixture and uses advised against					
Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.				
Uses advised against	: none				
Company Identification					
Company	: Chemicalbook				
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing				
Telephone	: 400-158-6606				

SECTION 2: Hazards identification

Classification of the substance or mixture

Gases under pressure: Compressed gas Acute toxicity - Category 2, Oral

Skin corrosion, Sub-category 1B

Acute toxicity - Category 2, Inhalation

Label elements

Pictogram(s)

Signal word

Danger

Hazard statement(s)

H225 Highly Flammable liquid and vapour

H226 Flammable liquid and vapour

H280 Contains gas under pressure; may explode if heated

H290 May be corrosive to metals

H300 Fatal if swallowed

1

H301 Toxic if swalloed

- H302 Harmful if swallowed
- H304 May be fatal if swallowed and enters airways
- H312 Harmful in contact with skin
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H331 Toxic if inhaled
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H351 Suspected of causing cancer
- H360 May damage fertility or the unborn child
- H361 Suspected of damaging fertility or the unborn child
- H370 Causes damage to organs
- H371 May cause damage to organs
- H372 Causes damage to organs through prolonged or repeated exposure
- H373 May cause damage to organs through prolonged or repeated exposure
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects

Precautionary statement(s)

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P233 Keep container tightly closed.
- P234 Keep only in original container.
- P240 Ground/bond container and receiving equipment.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 Wash hands thoroughly after handling.

P264 Wash skin thouroughly after handling.

- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P284 Wear respiratory protection.
- P310 Immediately call a POISON CENTER or doctor/physician.
- P314 Get medical advice/attention if you feel unwell.
- P331 Do NOT induce vomiting.
- P390 Absorb spillage to prevent material damage.
- P391 Collect spillage. Hazardous to the aquatic environment
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.
- P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P307+P311 IF exposed: call a POISON CENTER or doctor/physician.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P370+P378 In case of fire: Use ... for extinction.

P405 Store locked up.

P406 Store in corrosive resistant/... container with a resistant inner liner.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Prevention

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P271 Use only outdoors or in a well-ventilated area.

P284 [In case of inadequate ventilation] wear respiratory protection.

Response

P301+P316 IF SWALLOWED: Get emergency medical help immediately.

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P363 Wash contaminated clothing before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P316 Get emergency medical help immediately.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P320 Specific treatment is urgent (see ... on this label).

Storage

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards

no data available

SECTION 3: Composition/information on ingredients

Substance

Product name	: Boron trichloride
Synonyms	: bcl3,boron trichloride
CAS	: 10294-34-5

EC number	: 233-658-4
MF	: BCI3
MW	: 117.17

SECTION 4: First aid measures

Description of first aid measures

If inhaled

Fresh air, rest. Half-upright position. Artificial respiration may be needed. Refer for medical attention.

Following skin contact

ON FROSTBITE: rinse with plenty of water, do NOT remove clothes. Refer for medical attention .

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

Most important symptoms and effects, both acute and delayed

Strong irritant to tissue. Fumes are corrosive and highly toxic. Boron affects the central nervous system causing depression of circulation as well as shock and coma. May cause severe burns to skin. May result in marked fluid and electrolyte loss and shock. (EPA, 1998)

Indication of any immediate medical attention and special treatment needed

ON FROSTBITE: rinse with plenty of water, do NOT remove clothes. Refer for medical attention.

SECTION 5: Firefighting measures

Extinguishing media

If material involved in fire: Use dry chemical, dry sand, or carbon dioxide. Do not use water on material itself. If large quantities of combustibles are involved, use water in flooding quantities as spray and fog. Use water spray to knock-down vapors. Cool all affected containers with flooding quantities of water. Apply water from as far a distance as possible.

Specific Hazards Arising from the Chemical

When heated to decomposition, it emits toxic fumes of chlorides. It will react with water or steam to produce heat, and toxic and corrosive fumes. In hot water, decomposes to hydrochloric acid and boric acid. Fumes and hydrolyzes in moist air to form hydrochloric acid and oily, irritating corrosives. Avoid aniline, hexafluorisopropylidene amino lithium, nitrogen dioxide, phosphine, grease, organic matter, and oxygen. Nitrogen peroxide, phosphine, fat or grease react energetically with boron trichloride. Oxygen and boron trichloride react vigorously on sparking. Boron trichloride and aniline react violently in the absence of a coolant or diluent. Stable. (EPA, 1998)

Advice for firefighters

NO water. In case of fire in the surroundings, use appropriate extinguishing media. In case of fire: keep cylinder cool by spraying with water. NO direct contact with water.

NFPA 704

	HEALTH	3	Short exposure could cause serious temporary or moderate residual injury (e.g. <u>liquid hydrogen, sulfuric acid, calcium</u> <u>hypochlorite</u> , hexafluorosilicic acid)	
	FIRE	0	Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)	
	REACT	0	Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, N2)	
	SPEC. HAZ.	<i>m</i>		

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Evacuate danger area! Consult an expert! Ventilation. Personal protection: gas-tight chemical protection suit including self-contained breathing apparatus.

Environmental precautions

0

Evacuate danger area! Consult an expert! Ventilation. Personal protection: gas-tight chemical protection suit including self-contained breathing apparatus.

Methods and materials for containment and cleaning up

Evacuate danger area! Consult an expert! Ventilation. (Extra personal protection: gas-tight chemical protection suit including self-contained breathing apparatus).

SECTION 7: Handling and storage

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Fireproof if in building. Separated from food and feedstuffs. See Chemical Dangers. Fireproof if in building. Separated from food and feedstuffs.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

TLV: (ceiling value): 0.7 ppm as STEL

Biological limit values

no data available

Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area.

Individual protection measures

Eye/face protection

Wear face shield or eye protection in combination with breathing protection.

Skin protection

Cold-insulating gloves. Protective clothing.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Physical state	Solution
Colour	White
Odour	Pungent, irritating odor
Melting point/freezing point	-9°C(lit.)
Boiling point or initial boiling point and	12.5°C(lit.)
boiling range	
Flammability	Not combustible. Gives off irritating or toxic fumes (or gases) in a fire.
Lower and upper explosion	no data available
limit/flammability limit	
Flash point	2°C(lit.)
Auto-ignition temperature	no data available
Decomposition temperature	no data available
рН	no data available
Kinematic viscosity	1.032 cP at 50 deg F
Solubility	Miscible with dichloromethane, ethanol, carbon tetrachloride, diethyl ether, dimethyl formamide,
	aromatic solvents, saturated and halogenated hydrocarbon.
Partition coefficient n-octanol/water	no data available

Vapour pressure	29.72 psi (55 °C)
Density and/or relative density	0.738
Relative vapour density	4.05 (vs air)
Particle characteristics	no data available

SECTION 10: Stability and reactivity

Reactivity

Decomposes on heating. This produces toxic and corrosive fumes including hydrogen chloride. Reacts violently with water and moist air. This produces hydrogen chloride and boric acid. Reacts violently with aniline, phosphine, alcohols, oxygen and organic matter such as grease. Attacks many metals in the presence of water.

Chemical stability

Trialkylboranes are stable indefinitely when stored under an inert atmosphere. Trialkylboranes

Possibility of hazardous reactions

Not flammableThe gas is heavier than air.BORON TRICHLORIDE vigorously attacks elastomers and packing materials. Contact with Viton, Tygon, Saran and natural and synthetic rubbers is not recommended. Highly corrosive to most metals in the presence of moisture. Reacts energetically with nitrogen dioxide/dinitrogen tetraoxide, aniline, phosphine, triethylsilane, or fat and grease [Mellor 5:132 1946-47]. Reacts exothermically with chemical bases (examples: amines, amides, inorganic hydroxides).

Conditions to avoid

no data available

Incompatible materials

Boron trichloride reacts energetically with nitrogen peroxide, phosphine, or fat and grease.

Hazardous decomposition products

When heated to decomposition it emits toxic fumes of /hydrogens of chloride/.

SECTION 11: Toxicological information

Acute toxicity

- Oral: no data available
- Inhalation: LC50 Rat (male) inhalation 2,541 ppm/1 hr
- Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

The substance is corrosive to the eyes, skin and respiratory tract. Inhalation of this gas may cause lung oedema. See Notes. Rapid evaporation of the liquid may cause frostbite. Exposure at high levels could cause death. The effects may be delayed. Medical observation is indicated.

STOT-repeated exposure

no data available

Aspiration hazard

A harmful concentration of this gas in the air will be reached very quickly on loss of containment.

SECTION 12: Ecological information

Toxicity

Toxicity to fish: no data available Toxicity to daphnia and other aquatic invertebrates: no data available Toxicity to algae: no data available

Toxicity to microorganisms: no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN1741 (For reference only, please check.) IMDG: UN1741 (For reference only, please check.) IATA: UN1741 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: BORON TRICHLORIDE (For reference only, please check.) IMDG: BORON TRICHLORIDE (For reference only, please check.) IATA: BORON TRICHLORIDE (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 2.3 (For reference only, please check.) IMDG: 2.3 (For reference only, please check.) IATA: 2.3 (For reference only, please check.)

Packing group, if applicable

ADR/RID: (For reference only, please check.) IMDG: (For reference only, please check.) IATA: (For reference only, please check.)

Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS) Listed. **EC Inventory** Listed. United States Toxic Substances Control Act (TSCA) Inventory Listed. China Catalog of Hazardous chemicals 2015 Listed. New Zealand Inventory of Chemicals (NZIoC) Listed. PICCS Listed. **Vietnam National Chemical Inventory** Listed. IECSC Listed. Korea Existing Chemicals List (KECL) Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road RID: Regulation concerning the International Carriage of Dangerous Goods by Rail IMDG: International Maritime Dangerous Goods IATA: International Air Transportation Association TWA: Time Weighted Average STEL: Short term exposure limit LC50: Lethal Concentration 50% LD50: Lethal Dose 50% EC50: Effective Concentration 50% References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index? pageID=0&request_locale=en CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Other Information

Reacts violently with fire extinguishing agents such as water. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation is therefore essential. Immediate administration of an appropriate spray, by a doctor or a person authorized by him/her, should be considered.

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.