# Chemical Safety Data Sheet MSDS / SDS

# **Bromochloromethane**

Revision Date: 2025-02-01 Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product name : Bromochloromethane

CBnumber : CB7402908

CAS : 74-97-5

EINECS Number : 200-826-3

Synonyms : bromochloromethane,CBM

#### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

# **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 010-86108875

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word Danger

#### Precautionary statements

P502 Refer to manufacturer/supplier for information on recovery/recycling

P311 Call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

#### **Hazard statements**

H318 Causes serious eye damage

H315 Causes skin irritation

H225 Highly Flammable liquid and vapour

H420 Harms public health and the environment by destroying ozone in the upper atmosphere

H370 Causes damage to organs

H335 May cause respiratory irritation

H332 Harmful if inhaled

# SECTION 3: Composition/information on ingredients

#### **Substance**

Product name : Bromochloromethane

Synonyms : bromochloromethane,CBM

CAS : 74-97-5
EC number : 200-826-3
MF : CH2BrCl
MW : 129.38

# SECTION 4: First aid measures

## **Description of first aid measures**

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# Indication of any immediate medical attention and special treatment needed

No data available

# SECTION 5: Firefighting measures

#### Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## Special hazards arising from the substance or mixture

Hydrogen chloride gas, Hydrogen bromide gas


#### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **Further information**

No data available

#### **NFPA 704**





Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion

FIRE 1 can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. mineral oil, ammonia)

■ REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, N2)

SPEC.

# SECTION 6: Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

# **Environmental precautions**

Do not let product enter drains.

## Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

# Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

## Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. For precautions see section 2.2.

#### Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Light sensitive.

#### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

# control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

## **Exposure controls**

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Fluorinated rubber Minimum layer thickness: 0,7 mm Break through time: 480 min

Material tested: Vitoject? (KCL 890 / Aldrich Z677698, Size M)

Splash contact

Material: Fluorinated rubber Minimum layer thickness: 0,7 mm Break through time: 480 min

Material tested: Vitoject? (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**Body Protection** 

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of

the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

#### **Exposure limits**

NIOSH REL: TWA 200 ppm (1,050 mg/m<sup>3</sup>), IDLH 2,000 ppm; OSHA PEL: TWA 200 ppm; ACGIH TLV: TWA 200 ppm (adopted)

# SECTION 9: Physical and chemical properties

# Information on basic physicochemical properties

Appearance	light yellow liquid, clear
Odour	No data available
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	Melting point/range: -88 °C - lit.
Initial boiling point and boiling range	68 °C - lit.
Flash point	11 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	No data available
limits	
Vapour pressure	156,0 hPa at 20,0 °C
Vapour density	4.5 (vs air)
Relative density	1,991 g/cm3 at 25 °C
Water solubility	Soluble in acetone, alcohol, benzene, ether (Weast, 1986), and many other solvents, particularly
	chlorinated hydrocarbons.
Partition coefficient: n-octanol/water	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available
Henry's Law Constant	(x 10 <sup>-3</sup> atm?m <sup>3</sup> /mol): 1.44 at 25 °C (approximate - calculated from water solubility and vapor
	pressure)
•	

# Other safety information

No data available

# SECTION 10: Stability and reactivity

# Reactivity

No data available

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

No data available

#### Conditions to avoid

No data available

# Incompatible materials

Aluminum, Calcium, Magnesium, Zinc, Strong bases, Strong oxidizing agents

# Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Hydrogen bromide gas

Other decomposition products - No data available In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# Information on toxicological effects

## Acute toxicity

LD50 Oral - Rat - 5.000 mg/kg

LC50 Inhalation - Mouse - 7 h - 12.030 mg/m3

 $Remarks: Behavioral: General\ an esthetic.\ Behavioral: Muscle\ weakness.\ Lungs,\ Thorax,\ or\ Respiration: Dyspnea.$ 

LD50 Dermal - Rabbit - > 20.000 mg/kg

## Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitisation

No data available

# Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

# Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

## Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

#### **Additional Information**

RTECS: PA5250000

prolonged or repeated exposure can cause:, Nausea, Dizziness, Headache, narcosis, Cough, chest pain, Difficulty in breathing

#### **Toxicity**

 $LC_{50}$  (inhalation) for mice 15,850 mg/m<sup>3</sup>/8-h, rats 28,800 ppm/15-min (quoted, RTECS, 1985). Acute oral  $LD_{50}$  for rats 5,000 mg/kg, mice 4,300 mg/kg (quoted, RTECS, 1985).

# SECTION 12: Ecological information

# **Toxicity**

#### Toxicity to fish

LC50 - Cyprinus carpio (Carp) - 67 mg/l - 5 d

# Persistence and degradability

No data available

# **Bioaccumulative potential**

No data available

# Mobility in soil

No data available

### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **Toxics Screening Level**

The initial threshold screening level (ITSL) for chlorobromomethane is 10,600 µg/m3 based on an 8 hr. averaging time.

## Other adverse effects

# **SECTION 13: Disposal considerations**

# Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Incompatibilities

Incompatible with strong oxidizers (possible explosion), reducing agents, bases, carbonates, furyl alcohol, chemically active metals, such as calcium; base metals in the presence of moisture, powdered aluminum; zinc, magnesium. Liquid attacks some plastics, rubber, and coatings.

#### Waste Disposal

Incinerate together with flammable solvent in furnace equipped with afterburner and alkali scrubber.

## Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

#### **UN** number

ADR/RID: 1887 IMDG: 1887 IATA: 1887

#### **UN proper shipping name**

ADR/RID: BROMOCHLOROMETHANE IMDG: BROMOCHLOROMETHANE

#### IATA: Bromochloromethane

14.3	Transport hazard class(es)		
	ADR/RID: 6.1 IMDG: 6.1	IATA: 6.1	
14.4	Packaging group		
	ADR/RID: III IMDG: III	IATA: III	
14.5	Environmental hazards		
	ADR/RID: no IMDG Marine pollutant: no	IATA: no	
14.6	Special precautions for user		
	No data available		

# SECTION 15: Regulatory information

## Safety, health and environmental regulations/legislation specific for the substance or mixture

# Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

#### Measures for Environmental Management of New Chemical Substances

Vietnam National Chemical Inventory:Not Listed. website: https://chemicaldata.gov.vn/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

EC Inventory:Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

# SECTION 16: Other information

#### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit TWA: Time Weighted Average

#### References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

[5] ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

[6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

[7] HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

[8] IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

[9] IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

[10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

#### Other Information

The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential.

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.