

## Chemical Safety Data Sheet MSDS / SDS

## Bromoform

Revision Date:2026-03-21 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : Bromoform  
CBnumber : CB8854218  
CAS : 75-25-2  
EINECS Number : 200-854-6  
Synonyms : CHBr<sub>3</sub>;tribromide

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

## Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

## Hazard statements

H226 Flammable liquid and vapour

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H331 Toxic if inhaled

H411 Toxic to aquatic life with long lasting effects

---

## SECTION 3: Composition/information on ingredients

### Substance

Product name	: Bromoform
Synonyms	: CHBr <sub>3</sub> ;tribromide
CAS	: 75-25-2
EC number	: 200-854-6
MF	: CHBr <sub>3</sub>
MW	: 252.73

---

## SECTION 4: First aid measures

### General advice

First aiders need to protect themselves. Show this safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: fresh air. Make victim drink ethanol (e.g. 1 drinking glass of a 40% alcoholic beverage). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic beverage/kg body weight/hour).

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

### Protection of first-aiders

For personal protection see section 8.

### Notes to physician

No data available

---

## SECTION 5: Firefighting measures

## Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## Specific hazards during fire fighting

Combustible. Pay attention to flashback. Vapours are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

## Hazardous combustion products

Carbon oxides


## Specific extinguishing methods

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## NFPA 704



**HEALTH 3** Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium hypochlorite](#), hexafluorosilicic acid)

**FIRE 1** Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. [mineral oil](#), ammonia)

**REACT 1** Normally stable, but can become unstable at elevated temperatures and pressures (e.g. [propene](#))

**SPEC.**  
**HAZ.**

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away

from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

### **Environmental precautions**

Do not let product enter drains. Risk of explosion.

### **Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material. Dispose of properly. Clean up affected area.

---

## **SECTION 7: Handling and storage**

### **Handling**

#### **Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Advice on safe handling**

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Avoidance of contact**

Acids Oxidizing agents Alkali metals Acid chlorides Acid anhydrides Reducing agents

### **Storage**

#### **Further information on storage conditions**

Keep container tightly closed in a dry and wellventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorised persons.

#### **Storage class**

3, Flammable liquids

#### **Recommended storage temperature**

Recommended storage temperature see product label.

---

## **SECTION 8: Exposure controls/personal protection**

### **Ingredients with workplace control parameters**

Biological occupational exposure limits

### **Engineering measures**

No data available

### **Personal protective equipment**

#### **Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Recommended Filter type**

Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses

**Skin and body protection**

Flame retardant antistatic protective clothing.

**Hand protection**

**Material**

butyl-rubber

**Break through time**

480 min

**Glove thickness**

0.3 mm

**Protective index**

Full contact

**Manufacturer**

Butoject® (KCL 897 / Aldrich Z677647, Size M)

**Material**

Nitrile rubber

**Break through time**

30 min

**Glove thickness**

0.4 mm

**Protective index**

Splash contact

**Manufacturer**

Camatril® (KCL 730 / Aldrich Z677442, Size M)

**Manufacturer**

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

**Remarks**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

---

## SECTION 9: Physical and chemical properties

## Information on basic physicochemical properties

liquid

---

### Color

colourless

### Odor

Chloroform-like odor

### Odor Threshold

No data available

### pH

No data available

### Melting point/ range

-98 °C

### Boiling point/boiling range

64 - 65 °C (1,013 hPa)

### Flash point

11 °C

Method: closed cup

### Evaporation rate

No data available

### Flammability (solid, gas)

No data available

### Flammability (liquids)

No data available

### Burning rate

No data available

### Self-ignition

385 °C

### Upper explosion limit / Upper flammability limit

Upper flammability limit

### Lower explosion limit / Lower flammability limit

Lower flammability limit

**Vapor pressure**

130.2 hPa (20 °C) 547 hPa (50 °C)

**Relative vapor density**

8.7 (vs air)

**Relative density**

2.89 g/mL at 25 °C(lit.)

**Density**

0.791 g/cm<sup>3</sup>

**Water solubility**

completely miscible

**Partition coefficient: n-octanol/water**

No data available

**Autoignition temperature**

No data available

**Decomposition temperature**

No data available

**Viscosity, dynamic**

No data available

**Viscosity, kinematic**

No data available

**Flow time**

No data available

**Explosive properties**

Not classified as explosive.

**Oxidizing properties**

none

**Molecular weight**

252.73 g/mol

**Particle characteristics Particle size**

No data available

**Solubility**

water: soluble 800 part(lit.)

### Physical state

Liquid

### Henry's Law Constant

3.36 at 20.0 °C, 7.09 at 35.0 °C, 20.5 at 50.0 °C (equilibrium static cell, Wright et al., 1992)

### Dielectric constant

4.4 (20°C)

---

## SECTION 10: Stability and reactivity

### Reactivity

Vapours may form explosive mixture with air.

### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### Possibility of hazardous reactions

Violent reactions possible with

### Conditions to avoid

Warming.

### Incompatible materials

Acids Oxidizing agents Alkali metals Acid chlorides Acid anhydrides Reducing agents

### Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Mixture Acute toxicity

Oral: No data available

Acute toxicity estimate Oral - 100.6 mg/kg (Calculation method)

Acute toxicity estimate Inhalation - 4 h - 3.1 mg/l - vapour (Calculation method)

Acute toxicity estimate Dermal - 301.61 mg/kg (Calculation method)

#### Skin corrosion/irritation

Classified based on available data. For more details, see section 2

#### Serious eye damage/eye irritation

Classified based on available data. For more details, see section 2

### **Respiratory or skin sensitization**

Classified based on available data. For more details, see section 2

### **Germ cell mutagenicity**

Classified based on available data. For more details, see section 2

### **Carcinogenicity**

Classified based on available data. For more details, see section 2

### **Reproductive toxicity**

Classified based on available data. For more details, see section 2

### **Specific target organ toxicity - single exposure**

Mixture causes damage to organs. - Eyes, Central nervous system

### **Specific target organ toxicity - repeated exposure**

Classified based on available data. For more details, see section 2

### **Aspiration hazard**

Classified based on available data. For more details, see section 2

## **11.2 Additional Information**

Methyl alcohol may be fatal or cause blindness if swallowed., Cannot be made non- poisonous., Effects due to ingestion may include:, Nausea, Dizziness, Gastrointes- tinal disturbance, Weakness, Confusion., Drowsiness, Unconsciousness, May cause convulsions.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

### **Components Methanol**

#### **Acute toxicity**

Acute toxicity estimate Oral - 100.1 mg/kg (Expert judgement)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Symptoms: Nausea, Vomiting

Acute toxicity estimate Inhalation - 4 h - 3.1 mg/l - vapour (Expert judgement)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Symptoms: Irritation symptoms in the respiratory tract.

Acute toxicity estimate Dermal - 300.1 mg/kg (Expert judgement)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

### **Skin corrosion/irritation**

Skin - Rabbit

Result: No skin irritation

Remarks: (ECHA)

Remarks: Drying-out effect resulting in rough and chapped skin.

### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: No eye irritation

Remarks: (ECHA)

### **Respiratory or skin sensitization**

Sensitisation test: - Guinea pig

Result: negative (OECD Test Guideline 406)

### **Germ cell mutagenicity**

Based on available data the classification criteria are not met.

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female - Bone marrow

Result: negative

### **Carcinogenicity**

Did not show carcinogenic effects in animal experiments.

### **Reproductive toxicity**

Based on available data the classification criteria are not met.

### **Specific target organ toxicity - single exposure**

Causes damage to organs. - Eyes, Central nervous system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute oral toxicity - Nausea, Vomiting

Acute inhalation toxicity - Irritation symptoms in the respiratory tract.

### **Specific target organ toxicity - repeated exposure**

Classified based on available data. For more details, see section 2

### **Aspiration hazard**

Classified based on available data. For more details, see section 2

### **Bromoform Acute toxicity**

LD50 Oral - Rat - 933 mg/kg

Remarks: Lungs, Thorax, or Respiration:Dyspnea.

(RTECS)

Acute toxicity estimate Inhalation - 4 h - 3.1 mg/l - vapour (Expert judgement)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Dermal: No data available

### **Skin corrosion/irritation**

Remarks: Causes skin irritation.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

### **Serious eye damage/eye irritation**

Remarks: Causes serious eye irritation.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

### **Respiratory or skin sensitization**

In Chemico Skin Sensitisation: Direct Peptide Reactivity Assay (DPRA) - In vitro study

Result: negative (OECD Test Guideline 442C)

### **Germ cell mutagenicity**

Based on available data the classification criteria are not met.

Test Type: Ames test

Test system: S. typhimurium

Result: positive

Test Type: sister chromatid exchange assay

Test system: Chinese hamster ovary cells

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Result: negative

Method: OECD Test Guideline 486

Species: Rat - male

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female

Result: negative

#### **Carcinogenicity**

Classified based on available data. For more details, see section 2

#### **Reproductive toxicity**

Classified based on available data. For more details, see section 2

#### **Specific target organ toxicity - single exposure**

Classified based on available data. For more details, see section 2

#### **Specific target organ toxicity - repeated exposure**

Classified based on available data. For more details, see section 2

#### **Aspiration hazard**

Classified based on available data. For more details, see section 2

---

## SECTION 12: Ecological information

### **Ecotoxicity**

#### **Components:**

#### **Methanol:**

##### **Toxicity to fish**

LC50 (Lepomis macrochirus (Bluegill)): 15,400.0 mg/l End point: mortality Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes Method: US-EPA

##### **Toxicity to daphnia and other aquatic invertebrates**

EC50 (Daphnia magna (Water flea)): 18,260 mg/l End point: Immobilization Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 202

##### **Toxicity to algae/aquatic plants**

ErC50 (Pseudokirchneriella subcapitata (green algae)): ca. 22,000.0 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 201

##### **Toxicity to fish (Chronic toxicity)**

NOEC (Oryzias latipes (Orange-red killifish)): 7,900 mg/l Exposure time: 200 h Remarks: (External MSDS)

### **Toxicity to microorganisms**

IC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 209

### **Bromoform:**

#### **Toxicity to fish**

LC50 (Lepomis macrochirus (Bluegill sunfish)): 29 mg/l End point: mortality Exposure time: 96 h Test Type: static test Method: US-EPA

Remarks: (ECHA)

#### **Toxicity to daphnia and other aquatic invertebrates**

EC50 (Daphnia magna (Water flea)): 46 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Method: US-EPA Remarks: (ECHA)

#### **Toxicity to algae/aquatic plants**

ErC50 (Pseudokirchneriella subcapitata): 13 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes NOEC (Pseudokirchneriella subcapitata): 2.8 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes

### **Toxicity to microorganisms**

EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h Test Type: static test Method: OECD Test Guideline 209 GLP: yes NOEC (activated sludge): < 10 mg/l Exposure time: 3 h Test Type: static test Method: OECD Test Guideline 209 GLP: yes

## **Ecotoxicology Assessment**

### **Chronic aquatic toxicity**

Toxic to aquatic life with long lasting effects.

### **Persistence and degradability**

### **Components:**

#### **Methanol:**

##### **Biodegradability**

Result: Readily biodegradable. Biodegradation: 99 % Exposure time: 30 d Method: OECD Test Guideline 301D

##### **Biochemical Oxygen Demand (BOD)**

600 - 1,120 mg/g Incubation time: 5 d Remarks: (IUCLID)

##### **Chemical Oxygen Demand (COD)**

1,420 mg/g Remarks: (IUCLID)

##### **ThOD**

1,500 mg/g Remarks: (Lit.)

##### **BOD/ThOD**

76 % Remarks: Closed Bottle test (IUCLID)

##### **Stability in water**

Hydrolysis: 83 - 91 % at 19 °C(72 h) Remarks: Hydrolyses on contact with water. Hydrolyses readily. Degradation half life: 2.2 yr Remarks: reaction with hydroxyl radicals (IUCLID)

##### **Photodegradation**

Degradation (direct photolysis): 50 % Degradation half life: 17.2 d

### **Bromoform:**

#### **Biodegradability**

aerobic Inoculum: activated sludge, non-adapted Concentration: 33 mg/l Result: Not readily biodegradable. Biodegradation: 6 % Exposure time: 28 d Method: OECD Test Guideline 301D GLP: yes

## Bioaccumulative potential

### Components:

#### Methanol:

##### Bioaccumulation

Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): 1.0 Exposure time: 72 d Temperature: 20 °C Concentration: 5 mg/l

##### Partition coefficient: noctanol/water

log Pow: -0.77 (25 °C) Method: (experimental) Remarks: (HSDB) Bioaccumulation is not expected.

#### Bromoform:

##### Partition coefficient: noctanol/water

log Pow: 2.16 (30 °C) pH: 6.6 Method: OECD Test Guideline 117 GLP: yes Remarks: Bioaccumulation is not expected.

## Mobility in soil

### Components:

#### Methanol:

##### Stability in soil

Remarks: Will not adsorb on soil.

#### Bromoform:

##### Distribution among environmental compartments

Adsorption/Soil Koc: 126, log Koc: 2.10 Method: (experimental) Remarks: Moderately mobile in soils

## Other adverse effects

### Components:

#### Methanol:

##### Results of PBT and vPvB assessment

Not persistent, bioaccumulative, and toxic (PBT).

##### Additional ecological information

Avoid release to the environment.

---

## SECTION 13: Disposal considerations

### Disposal methods

#### Waste from residues

Offer surplus and non-recyclable solutions to a licensed disposal company.

## SECTION 14: Transport information

### International Regulations

#### IATA-DGR

UN/ID No. : UN 1230

Proper shipping name : Methanol solution

Class : 3

Subsidiary risk : 6.1

Packing group : II

Labels : Class 3 - Flammable liquids, Division 6.1 - Toxic substances

Packing instruction (cargo aircraft) : 364

Packing instruction (passenger aircraft) : 352

#### IMDG-Code

UN number : UN 1230

Proper shipping name : METHANOL SOLUTION

Class : 3

Subsidiary risk : 6.1

Packing group : II

Labels : 3 (6.1)

EmS Code : F-E, S-D

Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### JT/T 617

UN number : UN 1230

Proper shipping name : METHANOL

Class : 3

Subsidiary risk : 6.1

Packing group : II

Labels : 3 (6.1)

Environmentally hazardous : no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15: Regulatory information

### **National regulatory information**

**Law on the Prevention and Control of Occupational Diseases**

**Regulations on Safety Management of Hazardous Chemicals**

**Catalogue of Hazardous Chemicals**

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

**No. / Code Chemical name / Category Threshold quantity**

**W5.3 Flammable liquids 1,000 t**

**Hazardous Chemicals for Priority Management**

Listed under SAWS

**Catalogue of Specially Controlled Hazardous**

Listed Chemicals

**List of Explosive Precursors**

Not listed

**Regulations on Labour Protection in Workplaces where Toxic Substances are Used**

**Catalogue of Highly Toxic Chemicals**

Not listed

**Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals**

**China Severely Restricted Toxic Chemicals for Import and Export**

Not listed

**Regulation on the Administration of Precursor Chemicals**

**Catalogue and Classification of Precursor Chemicals**

Not listed

**Regulations on the Administration of Controlled Chemicals**

**List of Controlled Chemicals**

Not listed

**Regulations of Ozone Depleting Substances Management**

## List of Controlled Ozone Depleting Substances

Not listed

## List of Controlled Ozone Depleting Substances Import and Export

Not listed

## Environmental Protection Law

### List of Priority Controlled Chemicals

Not listed

### List of Key Controlled New Pollutants

Not listed

---

## SECTION 16: Other information

### Full text of other abbreviations

#### ACGIH

USA. ACGIH Threshold Limit Values (TLV)

#### ACGIH BEI

ACGIH - Biological Exposure Indices (BEI)

#### GBZ 2.1-2007

Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

#### ACGIH / TWA

8-hour, time-weighted average

#### ACGIH / STEL

Short-term exposure limit

#### GBZ 2.1-2007 / PC-TWA

Permissible concentration - time weighted average

**GBZ 2.1-2007 / PC-STEL AIC - Australian Invent Transport by Land of Bra bw - Body weight; CMR Standard of the German List (Canada); ECx - Conc associated with x% respo Chemical Substances (Jap response; ERG - Emerge GLP - Good Laboratory P cer; IATA - International Construction and Equipm Half maximal inhibitory c tion; IECSC - Inventory o tional Maritime Dangerou Industrial Safety and H Standardisation; KECl - K tration to 50 % of a test (Median Lethal Dose); MA lution from Ships; MERC of Dangerous Goods; n.o. - No Observed (Adverse) fect Level; NOELR - No Norm; NTP - National Toxi icals; OECD - Organisatio fice of Chemical Safety a and Toxic substance; PIC stances; (Q)SAR - (Quant (EC) No 1907/2006 of th Registration, Evaluation, Accelerating Decompositi Chemical Substance Inve Thailand Existing Chemicala States); UN - United Nat Transport of Dangerous WHMIS - Workplace Hazar**

Permissible concentration - short term exposure limit ry of Industrial Chemicals

ANTT - National Agency for il

ASTM - American Society for the Testing of Materials

- Carcinogen, Mutagen or Reproductive Toxicant

DIN nstitute for Standardisation

DSL - Domestic Substances ntration associated with x% response

ELx - Loading rate se

EmS - Emergency Schedule

ENCS - Existing and New n)

ErCx - Concentration associated with x% growth rate cy Response Guide

GHS - Globally Harmonised System

actice

IARC - International Agency for Research on Canir Transport Association

IBC - International Code for the nt of Ships carrying Dangerous Chemicals in Bulk

IC50 ncentration

ICAO - International Civil Aviation Organiza- Existing Chemical Substances in China

IMDG - Interna- Goods

IMO - International Maritime Organisation

ISHL alth Law (Japan)

ISO - International Organisation for rea Existing Chemicals Inventory

LC50 - Lethal Concenopulation

LD50 - Lethal Dose to 50% of a test population POL - International Convention for the Prevention of Pol- SUR - The Agreement for the Facilitation of the Transport . - Not Otherwise Specified

Nch - Chilean Norm

NO(A)EC ffect Concentration

NO(A)EL - No Observed (Adverse) Efbserveable Effect Loading Rate

NOM - Official Mexican ology Program

NZIoC - New Zealand Inventory of Chemfor Economic Co-operation and Development

OPPTS - Ofd Pollution Prevention

PBT - Persistent, Bioaccumulative S - Philippines Inventory of Chemicals and Chemical Subtative) Structure Activity Relationship

REACH - Regulation European Parliament and of the Council concerning the uthorisation and Restriction of Chemicals

SADT - Selfn Temperature

SDS - Safety Data Sheet

TCSI - Taiwan tory

TDG - Transportation of Dangerous Goods

TECI s Inventory

TSCA - Toxic Substances Control Act (United ons)

UNRTDG - United Nations Recommendations on the oods

vPvB - Very Persistent and Very Bioaccumulative

ous Materials Information System

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.