

Chemical Safety Data Sheet MSDS / SDS

Cadmium acetate

Revision Date:2026-05-31 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : Cadmium acetate
CBnumber : CB3249130
CAS : 543-90-8
EINECS Number : 208-853-2
Synonyms : Cadmium Acetate, Cadmium Acetate, Anhydrous 99%

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

Precautionary statements

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Hazard statements

H301 Toxic if swallowed

H312 Harmful in contact with skin

H330 Fatal if inhaled

H340 May cause genetic defects

H350 May cause cancer

H372 Causes damage to organs through prolonged or repeated exposure

H410 Very toxic to aquatic life with long lasting effects

SECTION 3: Composition/information on ingredients

Substance

Product name	: Cadmium acetate
Synonyms	: Cadmium Acetate, Cadmium Acetate, Anhydrous 99%
CAS	: 543-90-8
EC number	: 208-853-2
MF	: C4H6CdO4
MW	: 230.5

SECTION 4: First aid measures

General advice

Show this safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Protection of first-aiders

For personal protection see section 8.

Notes to physician

No data available

SECTION 5: Firefighting measures

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards during fire fighting

Not combustible. Ambient fire may liberate hazardous vapours.

Hazardous combustion products

Carbon oxides Cadmium/cadmium oxides

Specific extinguishing methods

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7: Handling and storage

Handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Storage

Further information on storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Storage class

6.1C, Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

Recommended storage temperature

Recommended storage temperature see product label.

Packaging material

Suitable material: LDPE Bottle/Jar

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

Biological occupational exposure limits

Cadmium acetate 543-90-8 cadmium Urine Not 5 CN BEI (cadmium) critical $\mu\text{mol/mol}$ creatinine

Engineering measures

No data available

Personal protective equipment**Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type

Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection

protective clothing

Hand protection**Material**

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Full contact

Manufacturer

KCL 741 L

Material

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Splash contact

Manufacturer

KCL 741 L

Remarks

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: www.kcl.de).

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

solid

Color

white

Odor

No data available

Odor Threshold

No data available

pH

No data available

Melting point/ range

255 - 273 °C

Boiling point/boiling range

No data available

Flash point

Not applicable

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Flammability (liquids)

No data available

Burning rate

No data available

Upper explosion limit / Upper flammability limit

No data available

Lower explosion limit / Lower flammability limit

No data available

Vapor pressure

No data available

Relative vapor density

No data available

Relative density

2.34

Density

2.341 g/cm³

Water solubility

soluble

Partition coefficient: n-octanol/water

No data available

Autoignition temperature

No data available

Decomposition temperature

No data available

Viscosity, dynamic

No data available

Viscosity, kinematic

No data available

Flow time

No data available

Explosive properties

No data available

Oxidizing properties

none

Molecular weight

230.50 g/mol

Particle characteristics Particle size

No data available

Solubility

soluble in H₂O, ethanol

Physical state

Powder

SECTION 10: Stability and reactivity

Reactivity

No data available

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Violent reactions possible with: Strong oxidizing agents

Conditions to avoid

no information available

Incompatible materials

No data available

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 333 mg/kg

Remarks: (RTECS)

Acute toxicity estimate Inhalation - 1.6 mg/l - dust/mist (Expert judgement)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute toxicity estimate Dermal - 1,100.1 mg/kg (Expert judgement)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Classified based on available data. For more details, see section 2

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative (OECD Test Guideline 429)

Remarks: The value is given in analogy to the following substances: Disodium pyrophosphate

Germ cell mutagenicity

May cause genetic defects.

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 490

Result: negative

Test Type: Micronucleus test

Test system: lymphocyte

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative

Carcinogenicity

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Chronic exposure to cadmium may cause lung and prostate cancer. Presumed to have carcinogenic potential for humans

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

Specific target organ toxicity - repeated exposure

Oral - Causes damage to organs through prolonged or repeated exposure.

- Kidney, Bone

Aspiration hazard

Classified based on available data. For more details, see section 2

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - No observed adverse effect level - 500 mg/kg

Remarks: Subchronic toxicity

Effects due to ingestion may include: Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

Ecotoxicity

Components:

Cadmium acetate:

Toxicity to fish (Chronic toxicity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.0013 mg/l End point: mortality Exposure time: 28 d Remarks: (referred to the cation) (ECOTOX Database)

Ecotoxicology Assessment

Acute aquatic toxicity

Very toxic to aquatic life.

Chronic aquatic toxicity

Very toxic to aquatic life with long lasting effects.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13: Disposal considerations

Disposal methods

Waste from residues

Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 14: Transport information

International Regulations

IATA-DGR

UN/ID No. : UN 2570

Proper shipping name : Cadmium compound (Cadmium acetate)

Class : 6.1

Packing group : III

Labels : Division 6.1 - Toxic substances

Packing instruction (cargo aircraft) : 677

Packing instruction (passenger aircraft) : 670

IMDG-Code

UN number : UN 2570

Proper shipping name : CADMIUM COMPOUND (Cadmium acetate)

Class : 6.1

Packing group : III

Labels : 6.1

EmS Code : F-A, S-A

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

JT/T 617

UN number : UN 2570

Proper shipping name : CADMIUM COMPOUND (Cadmium acetate)

Class : 6.1

Packing group : III

Labels : 6.1

Environmentally hazardous : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

Catalogue of Hazardous Chemicals : This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

Not listed

Hazardous Chemicals for Priority Management

Not listed under SAWS

Catalogue of Specially Controlled Hazardous

Not listed Chemicals

List of Explosive Precursors

Not listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals

Listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export

Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals

Not listed

Regulations on the Administration of Controlled Chemicals

List of Controlled Chemicals

Not listed

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances

Not listed

List of Controlled Ozone Depleting Substances Import and Export

Not listed

Environmental Protection Law

List of Priority Controlled Chemicals

Listed

List of Key Controlled New Pollutants

Not listed

SECTION 16: Other information

Full text of other abbreviations

ACGIH

USA. ACGIH Threshold Limit Values (TLV)

ACGIH BEI

ACGIH - Biological Exposure Indices (BEI)

CN BEI

China. Biological Occupational Exposure Indices

GBZ 2.1-2007

Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA

8-hour, time-weighted average

GBZ 2.1-2007 / PC-TWA

Permissible concentration - time weighted average

GBZ 2.1-2007 / PC-STEL AIC - Australian Invent Transport by Land of Bra bw - Body weight; **CMR** Standard of the German List (Canada); **ECx** - Conc associated with x% respo Chemical Substances (Jap response; **ERG** - Emerge GLP - Good Laboratory P cer; **IATA** - International Construction and Equipm Half maximal inhibitory c tion; **IECSC** - Inventory o tional Maritime Dangerou Industrial Safety and H Standardisation; **KECI** - K tration to 50 % of a test (Median Lethal Dose); **MA** lution from Ships; **MERC** of Dangerous Goods; **n.o.** - No Observed (Adverse) fect Level; **NOELR** - No Norm; **NTP** - National Toxi icals; **OECD** - Organisatio fice of Chemical Safety a and Toxic substance; **PIC** stances; **(Q)SAR** - (Quant (EC) No 1907/2006 of th Registration, Evaluation, Accelerating Decompositi Chemical Substance Inve Thailand Existing Chemicala States); **UN** - United Nat Transport of Dangerous **WHMIS** - Workplace Hazar

Permissible concentration - short term exposure limit ry of Industrial Chemicals

ANTT - National Agency for il

ASTM - American Society for the Testing of Materials

- Carcinogen, Mutagen or Reproductive Toxicant

DIN nstitute for Standardisation

DSL - Domestic Substances ntration associated with x% response

ELx - Loading rate se

EmS - Emergency Schedule

ENCS - Existing and New n)

ErCx - Concentration associated with x% growth rate cy Response Guide

GHS - Globally Harmonised System

actice

IARC - International Agency for Research on Canir Transport Association

IBC - International Code for the nt of Ships carrying Dangerous Chemicals in Bulk

IC50 ncentration

ICAO - International Civil Aviation Organiza- Existing Chemical Substances in China

IMDG - Interna- Goods

IMO - International Maritime Organisation

ISHL - alth Law (Japan)

ISO - International Organisation for rea Existing Chemicals Inventory

LC50 - Lethal Concentration

LD50 - Lethal Dose to 50% of a test population
POL - International Convention for the Prevention of Pollution from Ships
SUR - The Agreement for the Facilitation of the Transport of Dangerous Goods - Not Otherwise Specified

NCh - Chilean Norm

NO(A)EC - No Observed Effect Concentration

NO(A)EL - No Observed (Adverse) Effect Loading Rate

NOM - Official Mexican Nomenclature Program

NZIC - New Zealand Inventory of Chemicals for Economic Co-operation and Development

OPPTS - Office of Pollution Prevention

PBT - Persistent, Bioaccumulative and Toxic - Philippines Inventory of Chemicals and Chemical Substances) Structure Activity Relationship

REACH - Regulation European Parliament and of the Council concerning the restriction and Restriction of Chemicals

SADT - Self-heating Temperature

SDS - Safety Data Sheet

TCSI - Taiwanese

TDG - Transportation of Dangerous Goods

TECS Inventory

TSCA - Toxic Substances Control Act (United States)

UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

vPvB - Very Persistent and Very Bioaccumulative

Chemical Materials Information System

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.