

## Chemical Safety Data Sheet MSDS / SDS

**2,23,4,45,6-HEPTABROMODIPHENYL ETHER**

Revision Date:2026-03-21 Revision Number:1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : 2,23,4,45,6-HEPTABROMODIPHENYL ETHER  
CBnumber : CB0617329  
CAS : 207122-16-5  
EINECS Number : 208-759-1  
Synonyms : 2,2',3,4,4',5',6-HeptabroModiphenyl ether

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

**SECTION 2: Hazards identification****GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Danger

**Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P273 Avoid release to the environment.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P331 Do NOT induce vomiting.  
P501 Dispose of contents/container to.....

**Hazard statements**

H410 Very toxic to aquatic life with long lasting effects  
H336 May cause drowsiness or dizziness  
H315 Causes skin irritation

H304 May be fatal if swallowed and enters airways

H225 Highly Flammable liquid and vapour

---

## SECTION 3: Composition/information on ingredients

### Substance

Product name	: 2,2,3,4,4,5,6-HEPTABROMODIPHENYL ETHER
Synonyms	: 2,2',3,4,4',5',6-HeptabroModiphenyl ether
CAS	: 207122-16-5
EC number	: 208-759-1
MF	: C <sub>12</sub> H <sub>3</sub> Br <sub>7</sub> O
MW	: 722.48

---

## SECTION 4: First aid measures

### First Aid Measures

#### General advice

Immediate medical attention is required. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). If symptoms persist, call a physician.

#### Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.

#### Skin Contact

Wash off immediately with plenty of water. Wash contaminated clothing before reuse. If skin irritation persists, call a physician. Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

#### Inhalation

Remove to fresh air Call a physician If breathing is irregular or stopped, administer artificial respiration Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation

Immediate medical attention is not required Move to fresh air in case of accidental inhalation of vapors If symptoms persist, call a physician

#### Ingestion

Do NOT induce vomiting. Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.

#### Self-protection of the first aider

Remove all sources of ignition. Use personal protective equipment as required.

### Most important symptoms and effects, both acute and delayed

#### Symptoms

No information available.

### Indication of any immediate medical attention and special treatment needed

#### Note to physicians

Treat symptomatically.

---

## SECTION 5: Firefighting measures

### **Suitable Extinguishing Media**

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable Extinguishing Media**

No information available.

### **Specific hazards arising from the chemical**

#### **Specific hazards arising from the chemical**

Thermal decomposition can lead to release of toxic/corrosive gases and vapors.

#### **Hazardous combustion products**

Carbon oxides. Phosgene.

### **Explosion data**

#### **Sensitivity to Mechanical Impact**

No information available.

#### **Sensitivity to Static Discharge**

No information available.

### **Protective equipment and precautions for firefighters**

#### **Protective equipment and precautions for firefighters**

As in any fire, wear self contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

---

## SECTION 6: Accidental release measures

### **Personal precautions, protective equipment and emergency procedures**

#### **Personal precautions**

Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required.

Keep people away from and upwind of spill/leak.

#### **Environmental precautions**

#### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional

Ecological Information.

### **Methods and material for containment and cleaning up**

#### **Methods for containment**

Prevent further leakage or spillage if safe to do so.

#### **Methods for cleaning up**

Pick up and transfer to properly labeled containers. Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Soak up with inert absorbent material.

---

## SECTION 7: Handling and storage

### Precautions for safe handling

#### Advice on safe handling

Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded. Use with local exhaust ventilation. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Thermal decomposition can lead to release of toxic/corrosive gases and vapors.

### Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep containers tightly closed in a cool, well-ventilated place. Store at 4 °C.

#### Incompatible materials

None known based on information supplied.

---

## SECTION 8: Exposure controls/personal protection

### Control parameters

#### Exposure Guidelines

.

Column 1	Column 2	Column 3	Column 4
Isooctane 540-84-1	TWA: 300 ppm-	-	-

### Appropriate engineering controls

#### Engineering Controls

Showers

Eyewash stations

Ventilation systems

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tight sealing safety goggles. Face protection shield.

#### Skin and Body Protection

Wear protective gloves and protective clothing.

#### Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance

with current local regulations.

### General Hygiene Considerations

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Physical State	liquid
Appearance	No information available
Odor	No information available
pH	No information available
Melting point/freezing point	-107 °C
Boiling point	98 °C
Flash point	-12 °C
Liquid Density	0.69 g/cm <sup>3</sup>
Evaporation rate	No information available
Upper flammability limits	6%
Lower flammability limit	1%
Vapor pressure	41 mmHg
Vapor density	No information available
Specific gravity	No information available
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	396 °C
Decomposition temperature	No information available
Kinematic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Density and/or relative density	2.643±0.06 g/cm <sup>3</sup> (Predicted)
Solubility	Chloroform (Slightly), Methanol (Slightly)
Colour	White to Light Yellow

---

## SECTION 10: Stability and reactivity

### Reactivity

Not applicable

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### **Hazardous polymerization**

No information available.

### **Conditions to avoid**

Heat, flames and sparks.

### **Incompatible materials**

Strong oxidizing agents.

### **Hazardous Decomposition Products**

Carbon oxides. Phosgene.

---

## **SECTION 11: Toxicological information**

### **Information on likely routes of exposure**

#### **Inhalation**

Classified based on available data. For more details, see section 2.

#### **Eye contact**

Classified based on available data. For more details, see section 2.

#### **Skin Contact**

Classified based on available data. For more details, see section 2.

#### **Ingestion**

Classified based on available data. For more details, see section 2.

### **Information on toxicological effects**

#### **Symptoms**

Classified based on available data. For more details, see section 2.

### **Delayed and immediate effects as well as chronic effects from short and long-term exposure**

#### **Chronic Toxicity**

Avoid repeated exposure.

### **Numerical measures of toxicity - Product Information**

#### **Unknown acute toxicity**

Classified based on available data. For more details, see section 2

The following values are calculated based on chapter 3.1 of the GHS document

#### **ATEmix (oral)**

5005 mg/kg

#### **ATEmix (dermal)**

2002 mg/kg

#### **ATEmix (inhalation-dust/mist)**

14.4 mg/l

**ATEmix (inhalation-vapor)**

14.4 mg/l

---

## SECTION 12: Ecological information

### Ecotoxicity

Very toxic to aquatic life with long lasting effects 0.007% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

### Persistence and degradability

No information available.

### Bioaccumulation

No information available.

### Mobility

No information available.

---

## SECTION 13: Disposal considerations

### Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Contaminated packaging

Do not reuse container.

### Other Information

Waste codes should be assigned by the user based on the application for which the product was used.

### California Hazardous Waste Status

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Isooctane 540-84-1	Toxic Ignitable

### Isooctane

Toxic

---

## SECTION 14: Transport information

### DOT

**UN/ID no**

UN1262

**Hazard Class**

3

**Packing Group**

II

**Proper shipping name**

Octanes Reportable Quantity (RQ) (Isooctane: RQ (kg)= 454.00)

**Description**

UN1262, Octanes, 3, II, Marine pollutant Marine pollutant This product contains a chemical which is listed as a marine pollutant according to DOT

**Emergency Response Guide Number**

128

**IMDG****UN/ID no**

UN1262

**Hazard Class**

3

**Packing Group**

II

**Proper shipping name**

Octanes

**Description**

UN1262, Octanes, 3, II, (-12°C c.c.), Marine pollutant

**EmS-No**

F-E, S-E Marine pollutant This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO

**IATA****UN/ID no**

UN1262

**Hazard Class**

3

**Packing Group**

II

**Proper shipping name**

Octanes

**Description**

UN1262, Octanes, 3, II

**ERG Code**

3H

---

**SECTION 15: Regulatory information**

## International Inventories

All of the components in the product are on the following Inventory lists

X - Listed

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

Chemical name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Isooctane	X	X	-	X	-	X	X	X	X	X

## US Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazard Categories

#### Acute health hazard

Yes

#### Chronic Health Hazard

No

#### Fire hazard

Yes

#### Sudden release of pressure hazard

No

#### Reactive hazard

No

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## US State Regulations

### California Proposition 65

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Isooctane 540-84-1	X	X	X

## SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

TWA: Time-Weighted Average

STEL: Short-Term Exposure Limit

LD50: Lethal Dose 50%

LC50: Lethal Concentration 50%

EC50: Effective Concentration 50%

PEL: Permissible Exposure Limit

TLV: Threshold Limit Value

IMDG: International Maritime Dangerous Goods Code

IATA: International Air Transport Association

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

DOT: US Department of Transportation

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety and Health Administration

#### **Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.