

Chemical Safety Data Sheet MSDS / SDS

DIELDRIN

Revision Date:2026-03-20 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : DIELDRIN
CBnumber : CB6108911
CAS : 60-57-1
EINECS Number : 200-484-5
Synonyms : Dieldrine;dimethanonaphthalene

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P264 Wash skin thoroughly after handling.

P202 Do not handle until all safety precautions have been read and understood.

Hazard statements

H410 Very toxic to aquatic life with long lasting effects

H372 Causes damage to organs through prolonged or repeated exposure

H351 Suspected of causing cancer

SECTION 3: Composition/information on ingredients

Substance

Product name	: DIELDRIN
Synonyms	: Dieldrine;dimethanonaphthalene
CAS	: 60-57-1
EC number	: 200-484-5
MF	: C ₁₂ H ₈ Cl ₆ O
MW	: 380.91

SECTION 4: First aid measures

Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation

In case of unconsciousness place patient stably in side position for transportation.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing

Do not induce vomiting; immediately call for medical help.

Information for doctor

Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention and special treatment needed


SECTION 5: Firefighting measures

FIRE-FIGHTING MEASURES

Fire-fighting measure	Details
Suitable extinguishing agents	Use fire fighting measures that suit the environment. A solid water stream may be

	inefficient.
Special hazards arising from the substance or mixture	No further relevant information available.
Protective equipment	No special measures required.

NFPA 704



HEALTH 4 Very short exposure could cause death or major residual injury (e.g. hydrogen cyanide, phosgene, methyl isocyanate, [hydrofluoric acid](#))

FIRE 0 Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N₂](#))

SPEC.
HAZ.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Not required.

Environmental precautions

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1

0.3 mg/m³

PAC-2

6.8 mg/m³

PAC-3

450 mg/m³

SECTION 7: Handling and storage

Handling

Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires

No special measures required.

Conditions for safe storage, including any incompatibilities

Storage

Store in accordance with information listed on the product insert.

Requirements to be met by storerooms and receptacles

No special requirements.

Information about storage in one common storage facility

Not required.

Further information about storage conditions

None.

Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems

No further data; see section 7.

Control parameters

Components with limit values that require monitoring at the workplace:

60-57-1 Dieldrin

PEL	Long-term value: 0.25 mg/m ³ Skin
REL	Long-term value: 0.25 mg/m ³ Skin; See Pocket Guide App. A
TLV	Long-term value: 0.1* mg/m ³ Skin;*inhalable fraction and vapor, A3

Additional information

The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Breathing equipment

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection

Tightly sealed goggles

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Appearance**Physical State**

Solid

Color

Not determined.

Odor

Characteristic

Structural Formula

C₁₂H₈Cl₆O

Molecular Weight

380.9 g/mol

Odor Threshold

Not determined.

pH

Not applicable.

Change in condition**Melting point/Melting range**

143–144 °C (289.4–291.2 °F)

Boiling point/Boiling range

496.11°C (rough estimate)

Flash point

2 °C

Flammability (solid,gas)

Product is not flammable.

Decomposition temperature

Not determined.

Ignition temperature

Not determined.

Danger of explosion

Product does not present an explosion hazard.

Explosion limits

Lower: Not determined.

Upper: Not determined.

Vapor Pressure at 20 °C (68 °F)

0.000001 hPa (0 mm Hg)

Density at 20 °C (68 °F)

1.75 g/cm³ (14.60375 lbs/gal)

Relative Density

1.75 g/cm³

Vapor Density

13.2 (vs air)

Evaporation Rate

Not applicable.

Solubility in / Miscibility with

Soluble in ethanol and benzene (Weast, 1986)

Water

Not determined.

Partition coefficient (n-octanol/water)

Not determined.

Viscosity**Dynamic**

Not applicable.

Kinematic

Not applicable.

SOLUBILITY

Chloroform: Slightly Soluble

Vapour pressure

30.7 and 58.5 at 20 and 25 °C, respectively (gas saturation-GC, Grayson and Fosbraey, 1982)

No information available

Water solubility

195ug/L(25 °C)

Henry's Law Constant

27.6 at 5 °C, 63.2 at 15 °C, 82.9 at 20 °C, 97.7 at 25 °C, 217 at 35 °C:in 3% NaCl solution: 66.1 at 5 °C, 158 at 15 °C, 395 at 25 °C, 507 at 35 °C (gas stripping-GC, Cetin et al., 2006)

SECTION 10: Stability and reactivity

Reactivity

No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided

No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known.

Conditions to avoid

No further relevant information available.

Incompatible materials

strong oxidizing agents

Hazardous decomposition products

carbon dioxide, carbon monoxide, phosgene

SECTION 11: Toxicological information

RTECS Number

IO1750000

Information on toxicological effects

Acute toxicity

LD/LC50 values that are relevant for classification:

Route	Endpoint	Value
Oral	LDLO	65 mg/kg (man)
Oral	LD50	38 mg/kg (mouse) 38 mg/kg (rat)
Oral	LD50	38,300 µg/kg (rat)
Dermal	LD50	10 mg/kg (rat) Interperitoneal LDLO 26 mg/kg (mouse)
Intraperitoneal	LD50	35 mg/kg (rat)
Subcutaneous	LD50	49 mg/kg (rat)

Primary irritant effect

on the skin

No irritant effect.

on the eye

No irritating effect.

Sensitization

No sensitizing effects known.

Additional toxicological information

Danger through skin absorption.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

2A

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

SECTION 12: Ecological information

Toxicity

Aquatic toxicity

No further relevant information available.

Persistence and degradability

No further relevant information available.

Behavior in environmental systems

Bioaccumulative potential

No further relevant information available.

Mobility in soil

No further relevant information available.

Ecotoxicological effects

Remark

Very toxic for fish

Additional ecological information

General notes

Water hazard class 3 (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Results of PBT and vPvB assessment

PBT

Not applicable.

vPvB

Not applicable.

PBT:

Not applicable.

vPvB:

Not applicable.

Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations

Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings

Recommendation

Disposal must be made according to official regulations.

SECTION 14: Transport information

UN-Number

DOT, IMDG, IATA UN2811

UN proper shipping name

DOT Toxic solids, organic, n.o.s. (Dieldrin)

IMDG TOXIC SOLID, ORGANIC, N.O.S. (Dieldrin)

IATA Toxic solid, organic, n.o.s. (Dieldrin)

Transport hazard class(es)

DOT

Class: 6.1 Toxic substances

Label: 6.1

IMDG, IATA

Class: 6.1 Toxic substances

Label: 6.1

Packing group

DOT, IMDG, IATA I

Environmental hazards

Environmentally hazardous substance, solid

Special precautions for user

Warning: Toxic substances

Hazard identification number (Kemler code)

66

EMS Number

F-A,S-A

Stowage Category

B

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

Transport/Additional information

DOT:

Quantity limitations

On passenger aircraft/rail: 5 kg

On cargo aircraft only: 50 kg

IMDG:

Limited quantities (LQ)

0

Excepted quantities (EQ)

Code: E5

Maximum net quantity per inner packaging: 1 g

Maximum net quantity per outer packaging: 300 g

IATA:

Remarks

When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.

UN "Model Regulation"

UN 2811 TOXIC SOLID, ORGANIC, N.O.S.
(DIELDRIN), 6.1, I, ENVIRONMENTALLY
HAZARDOUS

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Section 355 (extremely hazardous substances):
Substance is not listed.

Sara

Section 355 (extremely hazardous substances):	Substance is not listed.
Section 313 (Specific toxic chemical listings):	Substance is not listed.
TSCA (Toxic Substances Control Act):	Substance is not listed.
Hazardous Air Pollutants:	Substance is not listed.

Proposition 65

Chemicals known to cause cancer:	Substance is listed.
Chemicals known to cause reproductive toxicity for females:	Substance is not listed.
Chemicals known to cause reproductive toxicity for males:	Substance is not listed.
Chemicals known to cause developmental toxicity:	Substance is not listed.

Chemicals known to cause cancer

Substance is listed.

Chemicals known to cause reproductive toxicity for females

Substance is not listed.

Chemicals known to cause reproductive toxicity for males

Substance is not listed.

Chemicals known to cause developmental toxicity

Substance is not listed.

Carcinogenic categories

EPA (Environmental Protection Agency):	B2
--	----

TLV (Threshold Limit Value)

(A4)

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is listed.

National regulations

Information about limitation of use

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Toxicity - Oral 3: Acute toxicity – Category 3

Acute Toxicity - Dermal 1: Acute toxicity – Category 1

Carcinogenicity 1B: Carcinogenicity – Category 1B

Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.