

## Chemical Safety Data Sheet MSDS / SDS

## DIMETHYLANILINE

Revision Date:2024-12-21 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : DIMETHYLANILINE  
CBnumber : CB8478584  
CAS : 1300-73-8  
EINECS Number : 215-091-4  
Synonyms : dimethylaniline,xylidine

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

## SECTION 2: Hazards identification

## Classification of the substance or mixture

Acute toxicity - Category 3, Oral  
Acute toxicity - Category 3, Dermal  
Acute toxicity - Category 3, Inhalation  
Specific target organ toxicity – repeated exposure, Category 2  
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 2

## Label elements

## Pictogram(s)

Signal word Danger

## Hazard statement(s)

H301 Toxic if swallowed  
H311 Toxic in contact with skin  
H331 Toxic if inhaled  
H373 May cause damage to organs through prolonged or repeated exposure

H411 Toxic to aquatic life with long lasting effects

#### **Precautionary statement(s)**

##### **Prevention**

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

##### **Response**

P301+P316 IF SWALLOWED: Get emergency medical help immediately.

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P316 Get emergency medical help immediately.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P319 Get medical help if you feel unwell.

P391 Collect spillage.

##### **Storage**

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

##### **Disposal**

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

##### **Other hazards**

no data available

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: DIMETHYLANILINE
Synonyms	: dimethylaniline, xyldine
CAS	: 1300-73-8
EC number	: 215-091-4
MF	: C48H66N6
MW	: 727.08

---

## SECTION 4: First aid measures

## Description of first aid measures

### If inhaled

Fresh air, rest. Refer for medical attention.

### Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention .

### Following eye contact

Rinse with plenty of water for several minutes (remove contact lenses if easily possible).

### Following ingestion

Rinse mouth. Refer for medical attention .

## Most important symptoms and effects, both acute and delayed

no data available

## Indication of any immediate medical attention and special treatment needed

no data available

---

## SECTION 5: Firefighting measures

### Extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.


### Specific Hazards Arising from the Chemical

Combustible. Gives off irritating or toxic fumes (or gases) in a fire. Above 90-98°C explosive vapour/air mixtures may be formed.

### Advice for firefighters

Use water spray, carbon dioxide, foam, powder.

### NFPA 704



■ HEALTH

---

Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion

■ FIRE 1 can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. [mineral oil](#), ammonia)

---

■ REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N2](#))

---

□ SPEC.

□ HAZ.

---

---

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Personal protection: chemical protection suit and filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

### Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

---

## SECTION 7: Handling and storage

### Precautions for safe handling

NO open flames. Above 90-98°C use a closed system and ventilation. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Separated from strong oxidants, acids, acid anhydrides, acid chlorides, hypochlorites, halogens and food and feedstuffs. Well closed. Store in an area without drain or sewer access.

---

## SECTION 8: Exposure controls/personal protection

### Control parameters

#### Occupational Exposure limit values

TLV: 0.5 ppm as TWA; (skin); BEI issued; A3 (confirmed animal carcinogen with unknown relevance to humans). MAK: skin absorption (H); carcinogen category: 3A

#### Biological limit values

no data available

### Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### Individual protection measures

#### Eye/face protection

Wear safety spectacles or eye protection in combination with breathing protection.

#### Skin protection

Protective gloves. Protective clothing.

#### Respiratory protection

Use ventilation, local exhaust or breathing protection.

#### Thermal hazards

no data available

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Physical state	Liquid, except o-4-xyldine is a solid.
Colour	no data available
Odour	no data available
Melting point/freezing point	no data available
Boiling point or initial boiling point and boiling range	221.9°C at 760mmHg
Flammability	no data available
Lower and upper explosion limit/flammability limit	no data available
Flash point	96.1°C
Auto-ignition temperature	520-590°C
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	no data available
Solubility	Solubility in water: poor
Partition coefficient n-octanol/water	1.8-2.2 (estimated)
Vapour pressure	0.154mmHg at 25°C
Density and/or relative density	0.975g/cm <sup>3</sup>
Relative vapour density	no data available
Particle characteristics	no data available

---

## SECTION 10: Stability and reactivity

### Reactivity

no data available

### Chemical stability

no data available

### Possibility of hazardous reactions

Decomposes on burning. This produces toxic and corrosive fumes including nitrogen oxides. Reacts violently with strong oxidants. Reacts with  
Chemical Book

hypochlorites. This produces explosive chloroamines. Reacts with acids, acid anhydrides, acid chlorides and halogens. Attacks plastic and rubber.

#### **Conditions to avoid**

no data available

#### **Incompatible materials**

no data available

#### **Hazardous decomposition products**

no data available

---

## **SECTION 11: Toxicological information**

#### **Acute toxicity**

- Oral: no data available
- Inhalation: no data available
- Dermal: no data available

#### **Skin corrosion/irritation**

no data available

#### **Serious eye damage/irritation**

no data available

#### **Respiratory or skin sensitization**

no data available

#### **Germ cell mutagenicity**

no data available

#### **Carcinogenicity**

no data available

#### **Reproductive toxicity**

no data available

#### **STOT-single exposure**

Exposure at high levels could cause lowering of consciousness. Exposure at high levels could cause formation of methaemoglobin. The effects may be delayed. Medical observation is indicated.

#### **STOT-repeated exposure**

The substance may have effects on the blood. This may result in anaemia. The substance may have effects on the kidneys and liver. This substance is possibly carcinogenic to humans.

### Aspiration hazard

A harmful contamination of the air will be reached slowly on evaporation of this substance at 20°C; on spraying or dispersing, however, much faster.

---

## SECTION 12: Ecological information

### Toxicity

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

### Persistence and degradability

no data available

### Bioaccumulative potential

no data available

### Mobility in soil

no data available

### Other adverse effects

no data available

---

## SECTION 13: Disposal considerations

### Disposal methods

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

---

## SECTION 14: Transport information

### UN Number

ADR/RID: UN3452 (For reference only, please check.)

IMDG: UN3452 (For reference only, please check.)

IATA: UN3452 (For reference only, please check.)

## UN Proper Shipping Name

ADR/RID: XYLIDINES, SOLID (For reference only, please check.)

IMDG: XYLIDINES, SOLID (For reference only, please check.)

IATA: XYLIDINES, SOLID (For reference only, please check.)

## Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

## Packing group, if applicable

ADR/RID: II (For reference only, please check.)

IMDG: II (For reference only, please check.)

IATA: II (For reference only, please check.)

## Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

## Special precautions for user

no data available

## Transport in bulk according to IMO instruments

no data available

---

## SECTION 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

#### European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

#### EC Inventory

Listed.

#### United States Toxic Substances Control Act (TSCA) Inventory

Listed.

#### China Catalog of Hazardous chemicals 2015

Listed.

#### New Zealand Inventory of Chemicals (NZIoC)

Listed.

#### PICCS

Listed.

#### Vietnam National Chemical Inventory

Listed.



## IECSC

Not Listed.

## Korea Existing Chemicals List (KECL)

Listed.

---

# SECTION 16: Other information

## Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

## References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pagelD=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pagelD=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

## Other Information

Depending on the degree of exposure, periodic medical examination is suggested. Specific treatment is necessary in case of poisoning with this substance; the appropriate means with instructions must be available. Commercial xylydine is a mixture of isomers where the 2,4-, 2,5- and 2,6-isomers dominate. See ICSCs 0453, 1519, 1562, 1686 and 1687.

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.