

## Chemical Safety Data Sheet MSDS / SDS

## DISULFOTON

Revision Date:2026-03-21 Revision Number:1

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier**

Product name : DISULFOTON  
CBnumber : CB4208774  
CAS : 298-04-4  
EINECS Number : 206-054-3  
Synonyms : M-74;S276

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

---

## SECTION 2: Hazards identification

**GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Danger

**Precautionary statements**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P264 Wash skin thoroughly after handling.

P262 Do not get in eyes, on skin, or on clothing.

**Hazard statements**H410 Very toxic to aquatic life with long lasting effects

---

## SECTION 3: Composition/information on ingredients

## Substance

Product name	: DISULFOTON
Synonyms	: M-74;S276
CAS	: 298-04-4
EC number	: 206-054-3
MF	: C8H19O2PS3
MW	: 274.4

---

## SECTION 4: First aid measures

### First Aid Measures

#### General advice

Consult a physician if necessary. Remove to fresh air.

#### Eye contact

Wash with plenty of water.

#### Skin Contact

Wash skin with soap and water.

#### Inhalation

Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration.

#### Ingestion

Never give anything by mouth to an unconscious person. Clean mouth with water.

### Most important symptoms and effects, both acute and delayed

#### Symptoms

No information available.

### Indication of any immediate medical attention and special treatment needed

#### Note to physicians

Treat symptomatically.

---

## SECTION 5: Firefighting measures

### Suitable Extinguishing Media

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable Extinguishing Media

No information available.

### Specific hazards arising from the chemical

#### Specific hazards arising from the chemical

No information available.

#### Hazardous combustion products

Carbon oxides. Hydrogen sulfide.\*\*\*

### **Explosion data**

#### **Sensitivity to Mechanical Impact**

No information available.

#### **Sensitivity to Static Discharge**

No information available.

### **Protective equipment and precautions for firefighters**

#### **Protective equipment and precautions for firefighters**

As in any fire, wear self contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

---

## SECTION 6: Accidental release measures

### **Personal precautions, protective equipment and emergency procedures**

#### **Personal precautions**

Ensure adequate ventilation, especially in confined areas.

#### **Environmental precautions**

#### **Environmental precautions**

See Section 12 for additional Ecological Information. Prevent product from entering drains.

Should not be released into the environment.\*\*\*

### **Methods and material for containment and cleaning up**

#### **Methods for containment**

Prevent further leakage or spillage if safe to do so.

#### **Methods for cleaning up**

Pick up and transfer to properly labeled containers.

---

## SECTION 7: Handling and storage

### **Precautions for safe handling**

#### **Advice on safe handling**

Handle in accordance with good industrial hygiene and safety practice.

### **Conditions for safe storage, including any incompatibilities**

#### **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Store at 4 °C.

#### **Incompatible materials**

None known based on information supplied.

---

## SECTION 8: Exposure controls/personal protection

## Control parameters

### Exposure Guidelines

.

### Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Column 1	Column 2	Column 3	Column 4
Disulfoton 298-04-4	TWA: 0.05 mg/m <sup>3</sup> inhalable fraction and vapor S*	(vacated) TWA: 0.1 mg/m <sup>3</sup> (vacated) S*	TWA: 0.1 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

## Appropriate engineering controls

### Engineering Controls

Showers

Eyewash stations

Ventilation systems

## Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear safety glasses with side shields (or goggles).

### Skin and Body Protection

Wear protective gloves and protective clothing.

### Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

### General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Physical State	liquid
Appearance	No information available
Odor	characteristic May be unpleasant***
pH	No information available
Melting point/freezing point	-25 °C***
Boiling point	225 °C***
Flash point	133 °C***
Liquid Density	1.14 g/mL
Evaporation rate	No information available
Upper flammability limits	No information available

Lower flammability limit	No information available
Vapor pressure	7.2 x 10 <sup>-3</sup> Pa (20 °C)
Vapor density	No information available
Specific gravity	1.14
Water solubility	25 mg l <sup>-1</sup> (20 °C)
Solubility in other solvents	No information available
Partition coefficient	4.02
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Density and/or relative density	1.1445 g/cm <sup>3</sup> (20 °C)

---

## SECTION 10: Stability and reactivity

### Reactivity

Not applicable

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Hazardous polymerization

No information available.

### Conditions to avoid

Extremes of temperature and direct sunlight.

### Incompatible materials

Strong oxidizing agents.

### Hazardous Decomposition Products

Carbon oxides. Hydrogen sulfide.\*\*\*

---

## SECTION 11: Toxicological information

### Information on likely routes of exposure

#### Inhalation

Classified based on available data. For more details, see section 2.

### Eye contact

Classified based on available data. For more details, see section 2.

### Skin Contact

Classified based on available data. For more details, see section 2.

### Ingestion

Classified based on available data. For more details, see section 2.

## Information on toxicological effects

### Symptoms

Classified based on available data. For more details, see section 2.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

### Chronic Toxicity

May cause adverse effects on the bone marrow and blood-forming system. Target Organ Effects Blood, Central Vascular System (CVS), Central nervous system, Eyes, Respiratory system, Skin. Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

## Chemical name ACGIH IARC NTP OSHA

### Disulfoton - Group

2A - X 298-04-4

## Numerical measures of toxicity - Product Information

### Unknown acute toxicity

Classified based on available data. For more details, see section 2

The following values are calculated based on chapter 3.1 of the GHS document

### ATEmix (oral)

5 mg/kg

### ATEmix (dermal)

5 mg/kg

### ATEmix (inhalation-dust/mist)

0 mg/l

---

## SECTION 12: Ecological information

### Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Disulfoton		1.64 - 2.13: 96 h Pimephales promelas mg/L LC50 flow-through 2.6: 96 h Pimephales promelas mg/L LC50 static 0.094 - 0.136: 96 h Lepomis macrochirus mg/L LC50 semi-static 0.28: 96 h Poecilia reticulata mg/L LC50 static 2.58 - 3.55: 96 h		

298-04-4	Oncorhynchus mykiss mg/L LC50 flow-through 9.2: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.2 - 5.5: 96 h Oncorhynchus mykiss mg/L LC50 static 0.0082: 96 h Lepomis macrochirus mg/L LC50 static		
----------	--	--	--

### Disulfoton

1.64 - 2.13: 96 h Pimephales - -

### Pimephales promelas mg/L

### LC50 semi

static 0.28: 96 h

Poecilia reticulata mg/L

### LC50 static 2.58

3.55: 96 h

### Oncorhynchus mykiss mg/L

### LC50 flow

through 9.2: 96 h

### Oncorhynchus mykiss mg/L

**Persistence and degradability No information available. Bioaccumulation No information available. Mobility No information available.**

### Disulfoton

3.94 298-04-4

## SECTION 13: Disposal considerations

### Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations. Should not be released into the environment.\*\*\*

### Contaminated packaging

Do not reuse container.

### California Hazardous Waste Status

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Disulfoton 298-04-4	Toxic

---

## SECTION 14: Transport information

### DOT

#### Description

\*\*\*

#### UN/ID no

UN2810\*\*\*

#### Hazard Class

6.1\*\*\*

#### Packing Group

I\*\*\*

#### Proper shipping name

Toxic liquids, organic, n.o.s.\*\*\* Reportable Quantity (RQ) (Disulfoton: RQ (kg)= 0.454)\*\*\*

#### Description

UN2810, Toxic liquids, organic, n.o.s. (Disulfoton), 6.1, I, Marine pollutant\*\*\* Marine pollutant This product contains a chemical which is listed as a marine pollutant according to DOT

#### Emergency Response Guide Number

153\*\*\*

### IMDG

#### Description

\*\*\*

#### UN/ID no

UN2810\*\*\*

#### Hazard Class

6.1\*\*\*

#### Packing Group

I\*\*\*

#### Proper shipping name

Toxic liquid, organic, n.o.s.\*\*\*

#### Description

UN2810, Toxic liquid, organic, n.o.s. (Disulfoton), 6.1, I, Marine pollutant\*\*\*

#### Special Provisions

274, 315\*\*\*

#### EmS-No

F-A, S-A\*\*\* Marine pollutant This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO

### IATA

#### Description

\*\*\*

#### UN/ID no

UN2810\*\*\*

**Hazard Class**

6.1\*\*\*

**Packing Group**

I\*\*\*

**Proper shipping name**

Toxic liquid, organic, n.o.s.\*\*\*

**Description**

UN2810, Toxic liquid, organic, n.o.s. (Disulfoton), 6.1, I\*\*\*

**ERG Code**

6L\*\*\*

## SECTION 15: Regulatory information

**International Inventories**

All of the components in the product are on the following Inventory lists

Europe (EINECS/ELINCS/NLP) Australia (AICS) South Korea (KECL): China (IECSC) Philippines (PICCS)\*\*\*

X - Listed

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Chemical name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Disulfoton	-	-	-	X	-	-	X	X	X	X

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories****Acute health hazard**

Yes

**Chronic Health Hazard**

No

**Fire hazard**

No

**Sudden release of pressure hazard**

No

**Reactive hazard**

No

### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Disulfoton 298-04-4	1 lb			X

### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Disulfoton 298-04-4	X	X	X

---

## SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

TWA: Time-Weighted Average

STEL: Short-Term Exposure Limit

LD50: Lethal Dose 50%

LC50: Lethal Concentration 50%

EC50: Effective Concentration 50%

PEL: Permissible Exposure Limit

TLV: Threshold Limit Value

IMDG: International Maritime Dangerous Goods Code

IATA: International Air Transport Association

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

DOT: US Department of Transportation

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety and Health Administration

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.