

## Chemical Safety Data Sheet MSDS / SDS

## ETHYLENE OXIDE

Revision Date:2026-03-21 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : ETHYLENE OXIDE  
CBnumber : CB2709651  
CAS : 75-21-8  
EINECS Number : 200-849-9  
Synonyms : Oxane;E.O.

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

## Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P202 Do not handle until all safety precautions have been read and understood.

## Hazard statements

H220 Extremely flammable gas

H280 Contains gas under pressure; may explode if heated

H314 Causes severe skin burns and eye damage  
H335 May cause respiratory irritation  
H336 May cause drowsiness or dizziness  
H340 May cause genetic defects  
H350 May cause cancer  
H372 Causes damage to organs through prolonged or repeated exposure

---

## SECTION 3: Composition/information on ingredients

### Substance

Product name : ETHYLENE OXIDE  
Synonyms : Oxane;E.O.  
CAS : 75-21-8  
EC number : 200-849-9  
MF : C<sub>2</sub>H<sub>4</sub>O  
MW : 44.05

---

## SECTION 4: First aid measures

### General advice

Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Call in physician.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

### Protection of first-aiders

For personal protection see section 8.

### Notes to physician

No data available

---

## SECTION 5: Firefighting measures

### Suitable extinguishing media

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Specific hazards during fire fighting

Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

### Hazardous combustion products

Carbon oxides Sulfur oxides


### Specific extinguishing methods

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### NFPA 704



HEALTH 3 Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium hypochlorite](#), hexafluorosilicic acid)

FIRE 4 Will rapidly or completely vaporize at normal atmospheric pressure and temperature, or is readily dispersed in air and will burn readily. Includes pyrophoric substances. Flash point below room temperature at 22.8 °C (73 °F). (e.g. acetylene, propane, [hydrogen gas](#))

REACT 3 Capable of detonation or explosive decomposition but requires a strong initiating source, must be heated under confinement before initiation, reacts explosively with water, or will detonate if severely shocked (e.g. [ammonium nitrate](#), cesium, hydrogen peroxide)

SPEC.  
 HAZ.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

### Environmental precautions

Do not let product enter drains.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material. Dispose of properly. Clean up affected area.

---

## SECTION 7: Handling and storage

### Handling

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Avoidance of contact

Acid chlorides Phosphorus halides Strong acids Strong oxidizing agents Strong reducing agents

### Storage

#### Further information on storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

#### Storage class

6.1C, Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

#### Recommended storage temperature

Recommended storage temperature see product label.

---

## SECTION 8: Exposure controls/personal protection

### Ingredients with workplace control parameters

Biological occupational exposure limits

### Engineering measures

No data available

### Personal protective equipment

#### Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Recommended Filter type**

Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses

#### **Skin and body protection**

protective clothing

#### **Hand protection**

#### **Remarks**

required

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

---

## SECTION 9: Physical and chemical properties

### **Information on basic physicochemical properties**

liquid, clear

#### **Color**

colorless

#### **Odor**

sulfurous

#### **Odor Threshold**

No data available

#### **pH**

Not applicable

#### **Melting point/ range**

18.4 °C

#### **Boiling point/boiling range**

189 °C (1,013 hPa)

#### **Flash point**

87 °C

Method: ASTM D 93, closed cup

**Evaporation rate**

No data available

**Flammability (solid, gas)**

No data available

**Flammability (liquids)**

No data available

**Burning rate**

No data available

**Self-ignition**

300 - 302 °C

**Upper explosion limit / Upper flammability limit**

42 %(V)

**Lower explosion limit / Lower flammability limit**

3.5 %(V)

**Vapor pressure**

0.55 mbar (20 °C) 4 hPa (50 °C)

**Relative vapor density**

2.70

**Relative density**

0.882 g/mL at 25 °C(lit.)

**Density**

1.104 g/cm<sup>3</sup> (20 °C)

**Water solubility**

completely miscible

**Partition coefficient: n-octanol/water**

log Pow: -1.35

**Autoignition temperature**

301 °C

**Decomposition temperature**

> 190 °C

**Viscosity, dynamic**

No data available

#### **Viscosity, kinematic**

No data available

#### **Flow time**

No data available

#### **Explosive properties**

Not explosive

#### **Oxidizing properties**

The substance or mixture is not classified as oxidizing.

#### **Surface tension**

43.5 mN/m, 20 °C

#### **Molecular weight**

78.13 g/mol

#### **Particle characteristics Particle size**

No data available

#### **Solubility in other solvents**

Alcohol soluble: soluble

#### **Physical state**

Colorless gas

#### **Dielectric constant**

14.0 (-4°C)

---

## SECTION 10: Stability and reactivity

#### **Reactivity**

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

#### **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

#### **Possibility of hazardous reactions**

No data available

#### **Conditions to avoid**

Strong heating.

## Incompatible materials

Acid chlorides Phosphorus halides Strong acids Strong oxidizing agents Strong reducing agents

## Hazardous decomposition products

In the event of fire: see section 5

---

# SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

### Mixture Acute toxicity

Acute toxicity estimate Oral - > 5,000 mg/kg (Calculation method)

Acute toxicity estimate Inhalation - 4 h - > 40 mg/l - vapor(Calculation method)

Dermal: No data available

### Skin corrosion/irritation

Classified based on available data. For more details, see section 2

### Serious eye damage/eye irritation

Classified based on available data. For more details, see section 2

### Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

### Germ cell mutagenicity

Possible mutagen

### Carcinogenicity

Possible carcinogen.

### Reproductive toxicity

May harm the unborn child.

May impair fertility.

### Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

### Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

### Aspiration hazard

Classified based on available data. For more details, see section 2

## 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

### Components dimethyl sulphoxide

#### Acute toxicity

LD50 Oral - Rat - male and female - 28,300 mg/kg (OECD Test Guideline 401)

LC0 Inhalation - Rat - male and female - 4 h - > 5.33 mg/l - dust/mist (OECD Test Guideline 403)

LD50 Dermal - Rat - male and female - 40,000 mg/kg

Remarks: (ECHA)

### **Skin corrosion/irritation**

Skin - Rabbit

Result: slight irritation - 4 h (OECD Test Guideline 404)

### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: slight irritation - 24 h (OECD Test Guideline 405)

### **Respiratory or skin sensitization**

Maximization Test - Guinea pig

Result: negative (OECD Test Guideline 406)

Local lymph node assay (LLNA) - Mouse

Result: negative (OECD Test Guideline 429)

### **Germ cell mutagenicity**

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: sister chromatid exchange assay

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Result: negative

Method: OECD Test Guideline 474

Species: Rat - male and female

Result: negative

### **Carcinogenicity**

Classified based on available data. For more details, see section 2

### **Reproductive toxicity**

Classified based on available data. For more details, see section 2

### **Specific target organ toxicity - single exposure**

Classified based on available data. For more details, see section 2

### **Specific target organ toxicity - repeated exposure Aspiration hazard**

Classified based on available data. For more details, see section 2

### **ethylene oxide Acute toxicity**

Acute toxicity estimate Oral - 100 mg/kg (Expert judgment)

Acute toxicity estimate Inhalation - 700 ppm - gas (Expert judgment)

Dermal: No data available

### **Skin corrosion/irritation**

Skin - Rabbit

Result: Causes burns. - 1 - 60 min

Remarks: (ECHA)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

### **Serious eye damage/eye irritation**

Remarks: Causes serious eye damage.

### **Respiratory or skin sensitization**

Classified based on available data. For more details, see section 2

### **Germ cell mutagenicity**

May cause genetic defects.

### **Carcinogenicity**

Presumed to have carcinogenic potential for humans

### **Reproductive toxicity**

Suspected of damaging the unborn child.

May damage fertility.

### **Specific target organ toxicity - single exposure**

Inhalation - May cause respiratory irritation. - Respiratory system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

May cause drowsiness or dizziness. - Nervous system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

### **Specific target organ toxicity - repeated exposure**

Causes damage to organs through prolonged or repeated exposure.

- Nervous system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

### **Aspiration hazard**

Classified based on available data. For more details, see section 2

---

## SECTION 12: Ecological information

### **Ecotoxicity**

#### **Components:**

#### **dimethyl sulphoxide:**

##### **Toxicity to fish**

LC50 (Danio rerio (zebra fish)): > 25,000 mg/l End point: mortality Exposure time: 96 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 203 GLP: yes

##### **Toxicity to daphnia and other aquatic invertebrates**

EC50 (Daphnia magna (Water flea)): 24,600 mg/l Exposure time: 48 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 202

##### **Toxicity to algae/aquatic plants**

ErC50 (Pseudokirchneriella subcapitata (green algae)): 17,000 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201 GLP: yes

##### **Toxicity to microorganisms**

EC50 (activated sludge): 10 - 100 mg/l Exposure time: 30 min Method: ISO 8192

#### **ethylene oxide:**

##### **Toxicity to fish**

LC50 (Oncorhynchus mykiss (rainbow trout)): 52 mg/l End point: mortality Exposure time: 96 h Test Type: static test Method: US-EPA GLP:

yes

#### **Toxicity to daphnia and other aquatic invertebrates**

LC50 (Daphnia magna (Water flea)): 350 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Method: US-EPA GLP: yes

#### **Toxicity to algae/aquatic plants**

ErC50 (Pseudokirchneriella subcapitata): 240 mg/l Exposure time: 96 h Test Type: static test Method: US-EPA GLP: yes

#### **Toxicity to microorganisms**

EC50 (activated sludge): > 713 mg/l Exposure time: 3 h Test Type: static test Method: OECD Test Guideline 209 GLP: yes

#### **Persistence and degradability**

##### **Components:**

##### **dimethyl sulphoxide:**

##### **Biodegradability**

aerobic Concentration: 2 mg/l Result: Not readily biodegradable. Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 301D GLP: yes

##### **Stability in water**

Degradation half life: 0.12 - 1.2 h (30 °C) pH: 7 Remarks: Hydrolyzes readily.

##### **ethylene oxide:**

##### **Biodegradability**

aerobic Inoculum: activated sludge Concentration: 100 mg/l Result: Readily biodegradable. Biodegradation: >= 83 % Exposure time: 14 d Method: OECD Test Guideline 301C

##### **Bioaccumulative potential**

##### **Components:**

##### **dimethyl sulphoxide:**

##### **Partition coefficient: noctanol/water**

log Pow: -1.35 (20 °C) Remarks: Bioaccumulation is not expected.

##### **ethylene oxide:**

##### **Partition coefficient: noctanol/water**

log Pow: -0.3 (25 °C) pH: 7 Method: OECD Test Guideline 107 Remarks: Bioaccumulation is not expected.

##### **Mobility in soil**

No data available

##### **Other adverse effects**

No data available

---

## SECTION 13: Disposal considerations

### **Disposal methods**

## **Waste from residues**

Offer surplus and non-recyclable solutions to a licensed disposal company.

---

## SECTION 14: Transport information

### **International Regulations**

#### **IATA-DGR**

UN/ID No. : Not applicable

Proper shipping name : Not applicable

Class : Not applicable

Subsidiary risk : Not applicable

Packing group : Not applicable

Labels : Not applicable

Packing instruction (cargo aircraft) : Not applicable

Packing instruction (passenger aircraft) : Not applicable

#### **IMDG-Code**

UN number : Not applicable

Proper shipping name : Not applicable

Class : Not applicable

Subsidiary risk : Not applicable

Packing group : Not applicable

Labels : Not applicable

EmS Code : Not applicable

Marine pollutant : no

### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

National regulation GB 6944/12268

UN number : Not applicable

Proper shipping name : Not applicable

Class : Not applicable

Subsidiary risk : Not applicable

Packing group : Not applicable

Labels : Not applicable

### **Special precautions for user**

Not applicable

---

## SECTION 15: Regulatory information

### **National regulatory information**

**Law on the Prevention and Control of Occupational Diseases**

**Regulations on Safety Management of Hazardous Chemicals**

**Catalogue of Hazardous Chemicals**

**Hazardous Chemicals for Priority Management**

Not applicable under SAWS

**Catalogue of Specially Controlled Hazardous**

Listed Chemicals

**List of Explosive Precursors**

Not listed

**Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals**

**China Severely Restricted Toxic Chemicals for Import and Export**

Not applicable

**Regulation on the Administration of Precursor Chemicals**

**Catalogue and Classification of Precursor Chemicals**

Not listed

**Regulations on the Administration of Controlled Chemicals**

**List of Controlled Chemicals**

Not listed

**Regulations of Ozone Depleting Substances Management**

**List of Controlled Ozone Depleting Substances**

Not listed

**List of Controlled Ozone Depleting Substances Import and Export**

Not listed

**Environmental Protection Law**

**List of Priority Controlled Chemicals**

Not listed

**List of Key Controlled New Pollutants**

Not listed

## Rotterdam Convention (Prior Informed Consent)

ethylene oxide

---

## SECTION 16: Other information

### Full text of other abbreviations

#### ACGIH

USA. ACGIH Threshold Limit Values (TLV)

#### ACGIH BEI

ACGIH - Biological Exposure Indices (BEI)

#### GBZ 2.1-2007

Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

#### ACGIH / TWA

8-hour, time-weighted average

**GBZ 2.1-2007 / PC-TWA AIC - Australian Invent Transport by Land of Bra bw - Body weight; CMR Standard of the German List (Canada); ECx - Conc associated with x%respo Chemical Substances (Jap response; ERG - Emerge GLP - Good Laboratory P cer; IATA - International Construction and Equipm Half maximal inhibitory c tion; IECSC - Inventory o tional Maritime Dangerou Industrial Safety and H Standardization; KECl - K tration to 50 % of a test (Median Lethal Dose); MA lution from Ships; n.o.s. No Observed (Adverse) E fect Level; NOELR - No Norm; NTP - National Toxi icals; OECD - Organizatio fice of Chemical Safety a and Toxic substance; PIC stances; (Q)SAR - (Quant (EC) No 1907/2006 of th Registration, Evaluation, Accelerating Decompositi Chemical Substance Inve Thailand Existing Chemica States); UN - United Nat Transport of Dangerous WHMIS - Workplace Hazar**  
Permissible concentration - time weighted average ry of Industrial Chemicals

ANTT - National Agency for il

ASTM - American Society for the Testing of Materials

- Carcinogen, Mutagen or Reproductive Toxicant

DIN nstitute for Standardisation

DSL - Domestic Substances ntration associated with x% response

ELx - Loading rate se

EmS - Emergency Schedule

ENCS - Existing and New n)

ErCx - Concentration associated with x% growth rate cy Response Guide

GHS - Globally Harmonized System

actice

IARC - International Agency for Research on Canir Transport Association

IBC - International Code for the nt of Ships carrying Dangerous Chemicals in Bulk

IC50 ncentration

ICAO - International Civil Aviation Organiza- Existing Chemical Substances in China

IMDG - Interna- Goods

IMO - International Maritime Organization

ISHL alth Law (Japan)

ISO - International Organisation for rea Existing Chemicals Inventory

LC50 - Lethal Concenopulation

LD50 - Lethal Dose to 50% of a test population POL - International Convention for the Prevention of Pollution - Not Otherwise Specified

NCh - Chilean Norm

NO(A)EC - Effective Concentration

NO(A)EL - No Observed (Adverse) Effect Loading Rate

NOM - Official Mexican Nomenclature Program

NZIoC - New Zealand Inventory of Chemicals for Economic Co-operation and Development

OPPTS - Office of Pollution Prevention

PBT - Persistent, Bioaccumulative and Toxic - Philippines Inventory of Chemicals and Chemical Substances) Structure Activity Relationship

REACH - Regulation of the European Parliament and of the Council concerning the Restriction of Chemicals

SADT - Self-Heating Temperature

SDS - Safety Data Sheet

TCSI - Taiwan Chemical Safety Inventory

TDG - Transportation of Dangerous Goods

TECS Inventory

TSCA - Toxic Substances Control Act (United States)

UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

vPvB - Very Persistent and Very Bioaccumulative

HMIS - Hazardous Materials Information System

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.