

## Chemical Safety Data Sheet MSDS / SDS

**LEAD(II) SULFATE**

Revision Date:2026-03-21 Revision Number:1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : LEAD(II) SULFATE  
CBnumber : CB7244456  
CAS : 7446-14-2  
EINECS Number : 231-198-9  
Synonyms : ci77630 ;Anglesite

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

**SECTION 2: Hazards identification****GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Danger

**Precautionary statements**

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P301+P312 IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell.

P308+P313 IF exposed or concerned: Get medical advice/attention.

**Hazard statements**

H373 May cause damage to organs through prolonged or repeated exposure

H410 Very toxic to aquatic life with long lasting effects

**SECTION 3: Composition/information on ingredients**

## Substance

Product name	: LEAD(II) SULFATE
Synonyms	: ci77630 ;Anglesite
CAS	: 7446-14-2
EC number	: 231-198-9
MF	: O4PbS
MW	: 303.26

---

## SECTION 4: First aid measures

### General advice

Show this safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

### Protection of first-aiders

For personal protection see section 8.

### Notes to physician

No data available

---

## SECTION 5: Firefighting measures

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Specific hazards during fire fighting

Not combustible. Ambient fire may liberate hazardous vapours.

### Hazardous combustion products

Sulphur oxides Lead oxides


### Specific extinguishing methods

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### NFPA 704



■ HEALTH 2

Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

■ REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium,[N2](#))

□ SPEC.  
HAZ.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

### Environmental precautions

Do not let product enter drains.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

---

## SECTION 7: Handling and storage

### Handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

#### Avoidance of contact

Potassium Strong bases Strong oxidizing agents

### Storage

#### Further information on storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

#### Storage class

6.1D, Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

#### Recommended storage temperature

Recommended storage temperature see product label.

---

## SECTION 8: Exposure controls/personal protection

### Ingredients with workplace control parameters

Lead monosulfate 7446-14-2 TWA 0.05 mg/m<sup>3</sup> ACGIH (Lead)

Biological occupational exposure limits

### Engineering measures

No data available

### Personal protective equipment

#### Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### Recommended Filter type

Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses

#### Skin and body protection

protective clothing

#### Hand protection

#### Material

Nitrile rubber

**Break through time**

480 min

**Glove thickness**

0.11 mm

**Protective index**

Full contact

**Manufacturer**

KCL 741 L

**Material**

Nitrile rubber

**Break through time**

480 min

**Glove thickness**

0.11 mm

**Protective index**

Splash contact

**Manufacturer**

KCL 741 L

**Remarks**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

---

## SECTION 9: Physical and chemical properties

**Information on basic physicochemical properties**

powder

---

**Color**

beige

**Odor**

No data available

**Odor Threshold**

No data available

**pH**

No data available

**Melting point/ range**

1,170 °C

**Boiling point/boiling range**

No data available

**Flash point**

Not applicable

**Evaporation rate**

No data available

**Flammability (solid, gas)**

The product is not flammable.

**Flammability (liquids)**

No data available

**Burning rate**

No data available

**Upper explosion limit / Upper flammability limit**

No data available

**Lower explosion limit / Lower flammability limit**

No data available

**Vapor pressure**

No data available

**Relative vapor density**

No data available

**Relative density**

6.2 g/mL at 25 °C(lit.)

**Density**

6.2 g/cm<sup>3</sup> (25 °C)

Method: lit.

**Water solubility**

Partially soluble in water, dilute HCl and HNO<sub>3</sub>. Soluble in sodium hydroxide, ammonium acetate or tartrate, concentrated hydriodic acid.

Insoluble in alcohol

**Partition coefficient: n-octanol/water**

No data available

**Autoignition temperature**

No data available

#### **Decomposition temperature**

No data available

#### **Viscosity, dynamic**

No data available

#### **Viscosity, kinematic**

No data available

#### **Flow time**

No data available

#### **Explosive properties**

Not classified as explosive.

#### **Oxidizing properties**

none

#### **Molecular weight**

303.26 g/mol

#### **Particle characteristics Particle size**

No data available

#### **Solubility**

insoluble in acid solutions; slightly soluble in alkaline solutions

#### **Physical state**

Powder/Lump

#### **Dielectric constant**

14.3 (0.0°C)

---

## SECTION 10: Stability and reactivity

#### **Reactivity**

No data available

#### **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

#### **Possibility of hazardous reactions**

No data available

## Conditions to avoid

no information available

## Incompatible materials

Potassium Strong bases Strong oxidizing agents

## Hazardous decomposition products

In the event of fire: see section 5

---

# SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

### Acute toxicity

Oral: No data available

Acute toxicity estimate Oral - 500.1 mg/kg (Expert judgement)

Acute toxicity estimate Inhalation - 4 h - 1.5 mg/l - dust/mist (Expert judgement)

Dermal: No data available

### Skin corrosion/irritation

Classified based on available data. For more details, see section 2

### Serious eye damage/eye irritation

Classified based on available data. For more details, see section 2

### Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

### Germ cell mutagenicity

Classified based on available data. For more details, see section 2

### Carcinogenicity

Classified based on available data. For more details, see section 2

### Reproductive toxicity

May damage the unborn child. Positive evidence from human epidemiological studies.

### Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

### Aspiration hazard

Classified based on available data. For more details, see section 2

## 11.2 Additional Information

RTECS: OG4375000

Lead salts have been reported to cross the placenta and to induce embryo- and foetal mortality. They also have teratogenic effect in some animal species. No teratogenic effects have been reported with exposure to organometallic lead compounds.

Adverse effects of lead on human reproduction, embryonic and fetal development, and postnatal (e.g., mental) development have been reported. Excessive exposure can affect blood, nervous, and digestive systems. The synthesis of hemoglobin is inhibited and results in

anemia. If left untreated, neuromuscular dysfunction, possible paralysis, and encephalopathy can result. Additional symptoms of overexposure include: joint and muscle pain, weakness of the extensor muscles (frequently the hand and wrist), headache, dizziness, abdominal pain, diarrhea, constipation, nausea, vomiting, blue line on the gums, insomnia, and metallic taste. High body levels produce increased cerebrospinal pressure, brain damage, and stupor leading to coma and often death.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

## SECTION 12: Ecological information

### Ecotoxicity

#### Components:

#### Lead monosulfate:

##### Toxicity to fish

LC50 (Pimephales promelas (fathead minnow)): 6.24 mg/l End point: mortality Exposure time: 96 h Remarks: (ECOTOX Database)

##### Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.4 mg/l End point: mortality Exposure time: 48 h Remarks: (ECOTOX Database)

##### M-Factor (Acute aquatic toxicity)

1

##### M-Factor (Chronic aquatic toxicity)

1

### Persistence and degradability

#### Components:

#### Lead monosulfate:

##### Biodegradability

Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

##### Bioaccumulative potential

No data available

##### Mobility in soil

No data available

##### Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### Disposal methods

#### Waste from residues

Offer surplus and non-recyclable solutions to a licensed disposal company.

---

## SECTION 14: Transport information

### International Regulations

#### IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Lead monosulfate)

Class : 9

Packing group : III

Labels : Class 9 - Miscellaneous dangerous substances and articles

Packing instruction (cargo aircraft) : 956

Packing instruction (passenger aircraft) : 956

#### IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Lead monosulfate)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### JT/T 617

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Lead monosulfate)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : no

### Special precautions for user

Remarks : EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous

Goods > 5L for liquids or > 5kg for solids.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15: Regulatory information

### **National regulatory information**

#### **Law on the Prevention and Control of Occupational Diseases**

#### **Regulations on Safety Management of Hazardous Chemicals**

#### **Catalogue of Hazardous Chemicals**

Listed

#### **Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)**

Not listed

#### **Hazardous Chemicals for Priority Management**

Not listed under SAWS

#### **Catalogue of Specially Controlled Hazardous**

Not listed Chemicals

#### **List of Explosive Precursors**

Not listed

#### **List of Toxic and Hazardous Air Pollutants**

Listed

#### **List of Toxic and Hazardous Soil Pollutants**

Listed

#### **Regulations on Labour Protection in Workplaces where Toxic Substances are Used**

#### **Catalogue of Highly Toxic Chemicals**

Not listed

#### **Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals**

#### **China Severely Restricted Toxic Chemicals for Import and Export**

Not listed

#### **Regulation on the Administration of Precursor Chemicals**

## Catalogue and Classification of Precursor Chemicals

Not listed

## Regulations on the Administration of Controlled Chemicals

### List of Controlled Chemicals

Not listed

## Regulations of Ozone Depleting Substances Management

### List of Controlled Ozone Depleting Substances

Not listed

### List of Controlled Ozone Depleting Substances Import and Export

Not listed

## Environmental Protection Law

### List of Priority Controlled Chemicals

Listed

### List of Key Controlled New Pollutants

Not listed

---

## SECTION 16: Other information

### Full text of other abbreviations

#### ACGIH

USA. ACGIH Threshold Limit Values (TLV)

#### ACGIH BEI

ACGIH - Biological Exposure Indices (BEI)

#### CN BEI

China. Biological Occupational Exposure Indices

**ACGIH / TWA AIC - Australian Invent Transport by Land of Bra bw - Body weight; CMR Standard of the German List (Canada); ECx - Conc associated with x%respo Chemical Substances (Jap response; ERG - Emerge GLP - Good Laboratory P cer; IATA - International Construction and Equipm Half maximal inhibitory c tion; IECSC - Inventory o tional Maritime Dangerous Industrial Safety and H Standardisation; KECl - K tration to 50 % of a test (Median Lethal Dose); MA lution from Ships; MERC of Dangerous Goods; n.o. - No Observed (Adverse) fect Level; NOELR - No Norm; NTP - National Toxi icals; OECD - Organisatio fice of Chemical Safety a and Toxic substance; PIC stances; (Q)SAR - (Quant (EC) No 1907/2006 of th Registration, Evaluation, Accelerating Decompositi Chemical Substance Inve Thailand Existing Chemica States); UN - United Nat Transport of Dangerous WHMIS - Workplace Hazar**

8-hour, time-weighted average ry of Industrial Chemicals

ANTT - National Agency for il

ASTM - American Society for the Testing of Materials

- Carcinogen, Mutagen or Reproductive Toxicant

DIN nstitute for Standardisation

DSL - Domestic Substances ntration associated with x% response

ELx - Loading rate se

EmS - Emergency Schedule

ENCS - Existing and New n)

ErCx - Concentration associated with x% growth rate cy Response Guide

GHS - Globally Harmonised System

actice

IARC - International Agency for Research on Canir Transport Association

IBC - International Code for the nt of Ships carrying Dangerous Chemicals in Bulk

IC50 ncentration

ICAO - International Civil Aviation Organiza- Existing Chemical Substances in China

IMDG - Interna- Goods

IMO - International Maritime Organisation

ISHL alth Law (Japan)

ISO - International Organisation for rea Existing Chemicals Inventory

LC50 - Lethal Concenopulation

LD50 - Lethal Dose to 50% of a test population POL - International Convention for the Prevention of Pol- SUR - The Agreement for the Facilitation of the Transport . - Not Otherwise Specified

Nch - Chilean Norm

NO(A)EC ffect Concentration

NO(A)EL - No Observed (Adverse) Efbserveable Effect Loading Rate

NOM - Official Mexican ology Program

NZIoC - New Zealand Inventory of Chemfor Economic Co-operation and Development

OPPTS - Ofd Pollution Prevention

PBT - Persistent, Bioaccumulative S - Philippines Inventory of Chemicals and Chemical Subtative) Structure Activity Relationship

REACH - Regulation European Parliament and of the Council concerning the uthorisation and Restriction of Chemicals

SADT - Selfn Temperature

SDS - Safety Data Sheet

TCSI - Taiwan tory

TDG - Transportation of Dangerous Goods

TECI s Inventory

TSCA - Toxic Substances Control Act (United ons

UNRTDG - United Nations Recommendations on the oods

vPvB - Very Persistent and Very Bioaccumulative

ous Materials Information System

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.