

## Chemical Safety Data Sheet MSDS / SDS

## LITHIUM DODECYL SULFATE

Revision Date:2025-02-01 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : LITHIUM DODECYL SULFATE  
CBnumber : CB0150488  
CAS : 2044-56-6  
EINECS Number : 218-058-2  
Synonyms : LDS,Lithium Dodecyl Sulfate

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

## Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P405 Store locked up.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

## Hazard statements

H335 May cause respiratory irritation

H318 Causes serious eye damage

H315 Causes skin irritation

## SECTION 3: Composition/information on ingredients

### Substance

Product name	: LITHIUM DODECYL SULFATE
Synonyms	: LDS,Lithium Dodecyl Sulfate
CAS	: 2044-56-6
EC number	: 218-058-2
MF	: C12H25LiO4S
MW	: 272.33

---

## SECTION 4: First aid measures

### Description of first aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Carbon oxides Sulfur oxides Lithium oxides Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.


### Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### NFPA 704



☒ HEALTH 2 Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. [diethyl ether](#), ammonium phosphate, iodine)

☒ FIRE 1 Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. [mineral oil](#), ammonia)

☒ REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N2](#))

☐ SPEC.

☐ HAZ.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### Environmental precautions

Do not let product enter drains. Risk of explosion.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### Reference to other sections

## SECTION 7: Handling and storage

### Precautions for safe handling

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

#### Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep away from heat and sources of ignition.

#### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### Exposure controls

##### Personal protective equipment

###### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

###### Body Protection

Flame retardant antistatic protective clothing.

###### Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

###### Control of environmental exposure

Do not let product enter drains. Risk of explosion.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	solid
Odour	No data available
Odour Threshold	No data available
pH	pH(0.25mol/l, 25°C) : 5.0~10.5
Melting point/freezing point	Melting point/range: 100 - 123 °C - OECD Test Guideline 102
Initial boiling point and boiling range	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	The substance or mixture is a flammable solid with the category - Flammability (solids)
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	H <sub>2</sub> O: 0.1 M at 20 °C, clear, colorless
Water solubility	350 g/l at 20 °C - OECD Test Guideline 105
Partition coefficient: n-octanol/water	No data available
Autoignition temperature	366 °C - Relative self-ignition temperature for solids
Decomposition temperature	ca.165 °C -
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available

### Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### Possibility of hazardous reactions

No data available

## Conditions to avoid

no information available

## Incompatible materials

No data available

## Hazardous decomposition products

In the event of fire: see section 5

---

# SECTION 11: Toxicological information

## Information on toxicological effects

### Acute toxicity

LD50 Oral - Rat - female - 977 mg/kg (OECD Test Guideline 401)

Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:., damage of respiratory tract

LD50 Dermal - Rabbit - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt

### Skin corrosion/irritation

Skin - Rabbit Result: Irritations

(OECD Test Guideline 404)

Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irreversible effects on the eye (OECD Test Guideline 405)

Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt

### Respiratory or skin sensitization

Maximization Test Result: negative Remarks: (IUCLID)

The value is given in analogy to the following substances: dodecyl sulphate sodium salt

### Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471

Result: negative

Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium saltTest Type: Mutagenicity (mammal cell test):

Test system: Mouse lymphoma test Method: OECD Test Guideline 476 Result: negative

Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt

No data available

### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

May cause respiratory irritation. - Respiratory system

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

---

## SECTION 12: Ecological information

**Toxicity****Toxicity to fish**

flow-through test LC50 - Pimephales promelas (fathead minnow) - 29 mg/l - 96 h

(OECD Test Guideline 203)

Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt

**Toxicity to daphnia and other aquatic invertebrates**

EC0 - E.sulcatum - 40 mg/l - 72 h Remarks: (Lit.)

The value is given in analogy to the following substances: dodecyl sulphate sodium salt

EC50 - Daphnia magna (Water flea) - 6 mg/l - 48 h Remarks: (IUCIID)

The value is given in analogy to the following substances: dodecyl sulphate sodium salt

**Toxicity to algae**

static test EC50 - Desmodesmus subspicatus (green algae) - 53 mg/l

- 72 h

(DIN 38412)

Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt

**Toxicity to bacteria**

EC50 - activated sludge - 130 mg/l - 3 h

(OECD Test Guideline 209)

Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt

**Persistence and degradability**

Biodegradability aerobic - Exposure time 28 d

Result: 95 % - Readily biodegradable. (OECD Test Guideline 301B)

Remarks: The value is given in analogy to the following substances:

dodecyl sulphate sodium salt

Ratio BOD/ThBOD 99 %

Remarks: (Lit.)

**Bioaccumulative potential**

No data available

### **Mobility in soil**

No data available

### **Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **Other adverse effects**

No data available

---

## **SECTION 13: Disposal considerations**

### **Waste treatment methods**

### **Product**

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## **SECTION 14: Transport information**

### **UN number**

ADR/RID: 1325 IMDG: 1325 IATA: 1325

### **UN proper shipping name**

ADR/RID: FLAMMABLE SOLID, ORGANIC, N.O.S. (lithium dodecyl sulphate) IMDG: FLAMMABLE SOLID, ORGANIC, N.O.S. (lithium dodecyl sulphate) IATA: Flammable solid, organic, n.o.s. (lithium dodecyl sulphate)

### **Transport hazard class(es)**

ADR/RID: 4.1 IMDG: 4.1 IATA: 4.1

### **Packaging group**

ADR/RID: II IMDG: II IATA: II

### **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

### **Special precautions for user**

No data available

---

## **SECTION 15: Regulatory information**

### **Safety, health and environmental regulations/legislation specific for the substance or mixture**



## Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: <https://www.mem.gov.cn/>

## Measures for Environmental Management of New Chemical Substances

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: <https://www.mee.gov.cn/>

EC Inventory:Listed.

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Not Listed. website: <https://emb.gov.ph/>

Vietnam National Chemical Inventory:Listed. website: <https://chemicaldata.gov.vn/>

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: <https://www.epa.gov/>

New Zealand Inventory of Chemicals (NZIoC):Listed. website: <https://www.epa.govt.nz/>

Korea Existing Chemicals List (KECL):Listed. website: <http://ncis.nier.go.kr>

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: <https://echa.europa.eu/>

---

## SECTION 16: Other information

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit

TWA: Time Weighted Average

### References

【1】 CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

【2】 ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

【3】 ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

【4】 eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

【5】 ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

【6】 Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

【7】 HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

【8】 IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

【9】 IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

【10】 Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.