

Chemical Safety Data Sheet MSDS / SDS

POTASSIUM MANGANATE

Revision Date:2026-03-21 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name : POTASSIUM MANGANATE
CBnumber : CB8741417
CAS : 10294-64-1
EINECS Number : 233-665-2
Synonyms : Potassium manganate,99%;POTASSIUM MANGANATE(VI)

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification**GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Warning

Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P302+P352 IF ON SKIN: wash with plenty of soap and water.

P264 Wash skin thoroughly after handling.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P220 Keep/Store away from clothing/.../combustible materials.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

Hazard statements

H335 May cause respiratory irritation

H319 Causes serious eye irritation

H315 Causes skin irritation
H272 May intensify fire; oxidizer

SECTION 3: Composition/information on ingredients

Substance

Product name : POTASSIUM MANGANATE
Synonyms : Potassium manganate,99%;POTASSIUM MANGANATE(VI)
CAS : 10294-64-1
EC number : 233-665-2
MF : H₃KMnO₄
MW : 161.06

SECTION 4: First aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Protection of first-aiders

For personal protection see section 8.

Notes to physician

No data available

SECTION 5: Firefighting measures

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards during fire fighting

Has a fire-promoting effect due to release of oxygen.

Hazardous combustion products

Potassium oxides Manganese/manganese oxides


Specific extinguishing methods

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

NFPA 704



HEALTH 3 Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium hypochlorite](#), hexafluorosilicic acid)

FIRE 0 Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium,[N2](#))

SPEC. OX
HAZ.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of

properly. Clean up affected area. Avoid generation of dusts.

SECTION 7: Handling and storage

Handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Avoidance of contact

Strong reducing agents Powdered metals Peroxides Zinc Copper

Storage

Further information on storage conditions

Tightly closed.

Storage class

5.1B, Oxidizing hazardous materials

Recommended storage temperature

Recommended storage temperature see product label.

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Engineering measures

No data available

Personal protective equipment

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type

Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection

protective clothing

Hand protection

Material

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Full contact

Manufacturer

KCL 741 L

Material

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Splash contact

Manufacturer

KCL 741 L

Remarks

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: www.kcl.de).

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

solid

Color

dark violet

Odor

No data available

Odor Threshold

No data available

pH

No data available

Melting point/ range

190 °C

Method: lit.

Boiling point/boiling range

No data available

Flash point

Not applicable

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Flammability (liquids)

No data available

Burning rate

No data available

Upper explosion limit / Upper flammability limit

No data available

Lower explosion limit / Lower flammability limit

No data available

Vapor pressure

No data available

Relative vapor density

No data available

Relative density

No data available

Density

No data available

Water solubility

Soluble in water

Partition coefficient: n-octanol/water

No data available

Autoignition temperature

No data available

Decomposition temperature

No data available

Viscosity, dynamic

No data available

Viscosity, kinematic

No data available

Flow time

No data available

Explosive properties

No data available

Oxidizing properties

The substance or mixture is classified as oxidizing with the category 3.

Molecular weight

197.13 g/mol

Particle characteristics Particle size

No data available

Solubility

soluble in H₂O; reacts with HCl

Physical state

Powder

SECTION 10: Stability and reactivity

Reactivity

No data available

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

No data available

Conditions to avoid

Avoid moisture. no information available

Incompatible materials

Strong reducing agents Powdered metals Peroxides Zinc Copper

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

Germ cell mutagenicity

Classified based on available data. For more details, see section 2

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

Aspiration hazard

Classified based on available data. For more details, see section 2

11.2 Additional Information

anemia, Throat., Men exposed to manganese dusts showed a decrease in fertility.

Chronic manganese poisoning primarily involves the central nervous system. Early symptoms include languor, sleepiness and weakness in the legs. A stolid mask-like appearance of the face, emotional disturbances such as uncontrollable laughter and a spastic gait with tendency to fall in walking are findings in more advanced cases.

High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds., Cough, Shortness of breath, Headache

SECTION 12: Ecological information

Ecotoxicity

Components:

Potassium manganate:

Toxicity to fish

Remarks: No data available

Persistence and degradability

Components:

Potassium manganate:

Biodegradability

Remarks: No data available

Bioaccumulative potential

Components:

Potassium manganate:

Bioaccumulation

Remarks: No data available

Mobility in soil

Components:

Potassium manganate:

Stability in soil

Remarks: No data available

Other adverse effects

Components:

Potassium manganate:

Additional ecological information

No data available

SECTION 13: Disposal considerations

Disposal methods

Waste from residues

Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 14: Transport information

International Regulations

IATA-DGR

UN/ID No. : UN 1479

Proper shipping name : Oxidizing solid, n.o.s.

(Potassium manganate)

Class : 5.1

Packing group : III

Labels : Division 5.1 - Oxidizing substances

Packing instruction (cargo aircraft) : 563

Packing instruction (passenger aircraft) : 559

IMDG-Code

UN number : UN 1479

Proper shipping name : OXIDIZING SOLID, N.O.S.

(Potassium manganate)

Class : 5.1

Packing group : III

Labels : 5.1

EmS Code : F-A, S-Q

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National regulation GB 6944/12268

UN number : UN 1479

Proper shipping name : OXIDIZING SOLID, N.O.S.

(Potassium manganate)

Class : 5.1

Packing group : III

Labels : 5.1

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

Downstream users need to comply with the conditions of safe use of the chemical, understand the environmental and health hazard and risk management measures identified on the SDS as well as the local/national regulations concerning the chemical.

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

No. / Code Chemical name / Category Threshold quantity

W9.2 Oxidising solids and liquids 200 t

Hazardous Chemicals for Priority Management

Not applicable under SAWS

Regulations on Occupational Labor Protection in the at workplaces where

Toxic Substances Are Used

Catalogue of Highly Toxic Chemicals

Listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export

Not applicable

Measures on the Environmental Administration of New Chemical Substances Registration

Registration/Notification number

B1A222217039

SECTION 16: Other information

Full text of other abbreviations

ACGIH

USA. ACGIH Threshold Limit Values (TLV)

GBZ 2.1-2007

Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA

8-hour, time-weighted average

**GBZ 2.1-2007 / PC-TWA AIC - Australian Invent Transport by Land of Bra bw - Body weight; CMR Standard of the German List (Canada); ECx - Conc associated with x%respo Chemical Substances (Jap response; ERG - Emerge GLP - Good Laboratory P
 cer; IATA - International Construction and Equipm Half maximal inhibitory c tion; IECSC - Inventory o tional Maritime Dangerou
 Industrial Safety and H Standardization; KECl - K tration to 50 % of a test (Median Lethal Dose); MA lution from Ships; n.o.s. No
 Observed (Adverse) E fect Level; NOELR - No Norm; NTP - National Toxi cals; OECD - Organizatio fice of Chemical Safety a and
 Toxic substance; PIC stances; (Q)SAR - (Quant (EC) No 1907/2006 of th Registration, Evaluation, Accelerating Decompositi
 Chemical Substance Inve Thailand Existing Chemical States); UN - United Nat Transport of Dangerous WHMIS - Workplace Hazar
 Permissible concentration - time weighted average ry of Industrial Chemicals
 ANTT - National Agency for il
 ASTM - American Society for the Testing of Materials
 - Carcinogen, Mutagen or Reproductive Toxicant
 DIN nstitute for Standardisation
 DSL - Domestic Substances ntration associated with x% response
 ELx - Loading rate se
 EmS - Emergency Schedule
 ENCS - Existing and New n)
 ErCx - Concentration associated with x% growth rate cy Response Guide
 GHS - Globally Harmonized System
 actice
 IARC - International Agency for Research on Canir Transport Association
 IBC - International Code for the nt of Ships carrying Dangerous Chemicals in Bulk
 IC50 ncentration
 ICAO - International Civil Aviation Organiza- Existing Chemical Substances in China
 IMDG - Interna- Goods
 IMO - International Maritime Organization
 ISHL alth Law (Japan)
 ISO - International Organisation for rea Existing Chemicals Inventory
 LC50 - Lethal Concenopulation
 LD50 - Lethal Dose to 50% of a test population POL - International Convention for the Prevention of Pol- Not Otherwise Specified
 Nch - Chilean Norm
 NO(A)EC fect Concentration
 NO(A)EL - No Observed (Adverse) Efbserveable Effect Loading Rate
 NOM - Official Mexican ology Program
 NZIoC - New Zealand Inventory of Chemfor Economic Co-operation and Development
 OPPTS - Ofd Pollution Prevention
 PBT - Persistent, Bioaccumulative S - Philippines Inventory of Chemicals and Chemical Subtative) Structure Activity Relationship
 REACH - Regulation European Parliament and of the Council concerning the uthorisation and Restriction of Chemicals
 SADT - Selfn Temperature
 SDS - Safety Data Sheet
 TCSI - Taiwan tory
 TDG - Transportation of Dangerous Goods
 TECl s Inventory
 TSCA - Toxic Substances Control Act (United ons)**

UNRTDG - United Nations Recommendations on the Goods

vPvB - Very Persistent and Very Bioaccumulative

Global Harmonized System of Classification and Labelling of Chemicals

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.