# Chemical Safety Data Sheet MSDS / SDS

# Sodium dodecyl sulfate

Revision Date: 2025-06-14 Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product name : Sodium dodecyl sulfate

 CBnumber
 : CB2147453

 CAS
 : 151-21-3

 EINECS Number
 : 205-788-1

 Synonyms
 : SDS,sles

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

# **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 010-86108875

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word Danger

## Precautionary statements

P501 Dispose of contents/container to.....

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P370+P378 In case of fire: Use ... for extinction.

P337+P313 IF eye irritation persists: Get medical advice/attention.

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

P321 Specific treatment (see ... on this label).

P314 Get medical advice/attention if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P271 Use only outdoors or in a well-ventilated area.

P270 Do not eat, drink or smoke when using this product.

P264 Wash skin thouroughly after handling.

P264 Wash hands thoroughly after handling.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

#### **Hazard statements**

H412 Harmful to aquatic life with long lasting effects

H411 Toxic to aquatic life with long lasting effects

H401 Toxic to aquatic life

H373 May cause damage to organs through prolonged or repeated exposure

H335 May cause respiratory irritation

H319 Causes serious eye irritation

H318 Causes serious eye damage

H315 Causes skin irritation

H313 May be harmful in contact with skin

H311 Toxic in contact with skin

H302 Harmful if swallowed

H228 Flammable solid

# SECTION 3: Composition/information on ingredients

# **Substance**

Product name : Sodium dodecyl sulfate

 Synonyms
 : SDS,sles

 CAS
 : 151-21-3

 EC number
 : 205-788-1

MF : C12H25NaO4S

MW : 288.38

# SECTION 4: First aid measures

# Description of first aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# **Extinguishing media**

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# Special hazards arising from the substance or mixture

Carbon oxides Sulfur oxides Sodium oxides Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.


## Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **NFPA 704**



HEALTH 3

Short exposure could cause serious temporary or moderate residual injury (e.g. <u>liquid hydrogen, sulfuric acid, calcium hypochlorite</u>, hexafluorosilicic acid)

	FIRE	E 3 conditions . Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or		
			having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, acetone)	
	REACT	1	Normally stable, but can become unstable at elevated temperatures and pressures (e.g. propene)	
	SPEC.			
	HAZ.			

# SECTION 6: Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

# **Environmental precautions**

Do not let product enter drains. Risk of explosion.

# Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

# Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

# Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

# Conditions for safe storage, including any incompatibilities

## Storage conditions

Tightly closed. Keep away from heat and sources of ignition. hygroscopic

# Specific end use(s)

# SECTION 8: Exposure controls/personal protection

#### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### **Exposure controls**

# Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril? L Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril? L

**Body Protection** 

Flame retardant antistatic protective clothing.

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

# SECTION 9: Physical and chemical properties

# Information on basic physicochemical properties

Appearance white Rods

Odour	odorless
Odour Threshold	Not applicable
рН	9,1 at 10 g/l
Melting point/freezing point	Melting point/range: 204 - 207 °C - lit.
Initial boiling point and boiling range	No data available
Flash point	170 °C - Regulation (EC) No. 440/2008, Annex, A.9
Evaporation rate	No data available
Flammability (solid, gas)	The substance or mixture is a flammable solid with the category 2.
Upper/lower flammability or explosive	No data available
limits	
Vapour pressure	<= 0,00 hPa at 20 °C - OECD Test Guideline 104
Vapour density	No data available
Relative density	No data available
Water solubility	130 g/l at 20 °C - OECD Test Guideline 105- soluble
Partition coefficient: n-octanol/water	log Pow: 1,6 - (experimental) - Bioaccumulation is not expected.
Autoignition temperature	310,5 °C
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available
λmax	λ: 260 nm Amax: 0.3
	λ: 280 nm Amax: 0.2

# Other safety information

Solubility in other solvents

Ethanol - partly soluble

Surface tension 25,2 mN/m at 1g/l at 23 °C

OECD Test Guideline 115

Dissociation constant 1,31 at 20 °C

**OECD Test Guideline 112** 

# SECTION 10: Stability and reactivity

# Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

# **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

# Possibility of hazardous reactions

No data available

#### Conditions to avoid

Strong heating.

# Incompatible materials

Oxidizing agents

# Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - female - 977 mg/kg (OECD Test Guideline 401)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute toxicity estimate Inhalation - 4 h - 11,1 mg/l (Expert judgment)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - Rabbit

Result: Irritations - 24 h (OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irreversible effects on the eye (OECD Test Guideline 405)

#### Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative Remarks:

(IUCLID)

# Germ cell mutagenicity

Ames test

Escherichia coli/Salmonella typhimurium Result: negative

In vitro mammalian cell gene mutation test mouse lymphoma cells

Result: negative

OECD Test Guideline 478

Mouse - male and female - Intrauterine Result: negative

#### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

# Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory system

Acute oral toxicity - Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

#### **Toxicity**

LD50 orally in rats: 1288 mg/kg (Walker)

# **SECTION 12: Ecological information**

# **Toxicity**

#### Toxicity to fish

flow-through test LC50 - Pimephales promelas (fathead minnow) - 29 mg/l - 96 h

(OECD Test Guideline 203)

#### Toxicity to daphnia and other aquatic invertebrates

flow-through test LC50 - Ceriodaphnia dubia (water flea) - 5,55 mg/l

- 48 h

(OECD Test Guideline 202)

#### Toxicity to algae

static test ErC50 - Desmodesmus subspicatus (green algae) - > 120 mg/l - 72 h

(DIN 38412)

## Toxicity to bacteria

static test EC50 - activated sludge - 135 mg/l - 3 h

Remarks: (ECHA)

# Persistence and degradability

No data available

# Bioaccumulative potential

No data available

#### Mobility in soil

No data available

# Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### Waste treatment methods

#### Incompatibilities

Sodium lauryl sulfate reacts with cationic surfactants, causing loss of activity even in concentrations too low to cause precipitation. Unlike soaps, it is compatible with dilute acids and calcium and magnesium ions. Sodium lauryl sulfate is incompatible with salts of polyvalent metal ions, such as aluminum, lead, tin or zinc, and precipitates with potassium salts.

#### **Product**

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

#### **UN** number

ADR/RID: 1325 IMDG: 1325 IATA: 1325

#### **UN proper shipping name**

ADR/RID: FLAMMABLE SOLID, ORGANIC, N.O.S. (dodecyl sulphate sodium salt) IMDG: FLAMMABLE SOLID, ORGANIC, N.O.S. (dodecyl sulphate sodium salt)

IATA: Flammable solid, organic, n.o.s. (dodecyl sulphate

sodium salt)

14.3 Transport hazard class(es)

ADR/RID: 4.1 IMDG: 4.1 IATA: 4.1

Packaging group

14.4

ADR/RID: III IMDG: III IATA: III

Environmental hazards

14.5

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

Special precautions for user

14.6

No data available

# **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

## Measures for Environmental Management of New Chemical Substances

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

 $New\ Zealand\ Inventory\ of\ Chemicals\ (NZloC): Listed.\ website:\ https://www.epa.govt.nz/$ 

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

EC Inventory:Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

# SECTION 16: Other information

#### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit TWA: Time Weighted Average

#### References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.