

## Chemical Safety Data Sheet MSDS / SDS

**TITANIUM(III) FLUORIDE**Revision Date:2026-03-21 Revision Number:1

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : TITANIUM(III) FLUORIDE  
CBnumber : CB6377711  
CAS : 13470-08-1  
EINECS Number : 236-732-4  
Synonyms : TITANIUM(III) FLUORIDE

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

---

**SECTION 2: Hazards identification****GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Danger

**Precautionary statements**

P363 Wash contaminated clothing before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

**Hazard statements**

H314 Causes severe skin burns and eye damage

**SECTION 3: Composition/information on ingredients**

## Substance

Product name	: TITANIUM(III) FLUORIDE
Synonyms	: TITANIUM(III) FLUORIDE
CAS	: 13470-08-1
EC number	: 236-732-4
MF	: F3Ti
MW	: 104.86

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of

HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or

Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure. First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

First treatment with calcium gluconate paste. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 4.4 Notes to physician

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

Water Foam

### 5.2 Special hazards arising from the substance or mixture

Hydrogen fluoride

Titanium/titanium oxides

Not combustible.

May not get in touch with: Water


Ambient fire may liberate hazardous vapours.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### NFPA 704



<input checked="" type="checkbox"/>	HEALTH	3	Short exposure could cause serious temporary or moderate residual injury (e.g. <a href="#">liquid hydrogen</a> , <a href="#">sulfuric acid</a> , <a href="#">calcium hypochlorite</a> , hexafluorosilicic acid)
<input checked="" type="checkbox"/>	FIRE	0	Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)
<input checked="" type="checkbox"/>	REACT	2	Undergoes violent chemical change at elevated temperatures and pressures, reacts violently with water, or may form explosive mixtures with water (e.g. white phosphorus, <a href="#">potassium</a> , <a href="#">sodium</a> )
<input type="checkbox"/>	SPEC. HAZ.	W	

---

## SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact.

Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

## 6.4 Reference to other sections

For disposal see section 13.

---

# SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

### Advice on safe handling

Keep workplace dry. Do not allow product to come into contact with water.

### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed. Dry.

Never allow product to get in contact with water during storage. Do not store near acids.

Do not store in glass

### Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

---

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

### Ingredients with workplace control parameters

['Component', 'CAS-No.', 'Value', 'Control parameters', 'Basis']	['Titanium trifluoride', '13470-08- 1', 'PC-TWA', '2 mg/m3', 'Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.']
--	---

### Biological occupational exposure limits

['Component', 'CAS-No.', 'Parameters', 'fluoride', '42Millim oles']	['', '13470-08- 1', 'fluoride', '42Millim oles']
---	--

'Value', 'Biological specimen', 'Basis']	per', 'Urine', 'China. Biological Occupational']					
['', 'Remarks', 'After shift', None, None, None]	['', 'fluoride', '7mg/g creatinin e', 'Urine', 'China. Biological Occupational Exposure Indices']	['', 'After shift', None, None, None]	['', 'fluoride', '24Millimoles per mole creatinin e', 'Urine', 'China. Biological Occupational Exposure Indices']	['', 'Prior to shift', None, None, None]	['', 'fluoride', '4mg/g creatinin e', 'Urine', 'China. Biological Occupational Exposure Indices']	['', 'Prior to shift', None, None, None]

mole Exposure Indices creatinin e

## 8.2 Exposure controls

### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-

approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 L

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 L

#### Body Protection

protective clothing

#### Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### Control of environmental exposure

Do not let product enter drains.

## SECTION 9: Physical and chemical properties

## Information on basic physicochemical properties

a) Physical state	powder
b) Color	light brown
c) Odor	No data available
d) Melting point/freezing point	Melting point/ range: 300 °C - (decomposition)
e) Initial boiling point and boiling range	1400 °C
f) Flammability (solid, gas)	The product is not flammable.
g) Upper/lower flammability or explosive limits	No data available
h) Flash point	Not applicable
i) Autoignition temperature	No data available
j) Decomposition temperature	No data available
k) pH	No data available
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m) Water solubility	Sparingly soluble. It hydrolyses in water.
n) Partition coefficient n-octanol/water	No data available
o) Vapor pressure	No data available
p) Density	3.4 g/cm <sup>3</sup> at 25 °C - lit.
Relative density	3.4 g/mL at 25 °C(lit.)
q) Relative vapor density	No data available
r) Particle characteristics	No data available
s) Explosive properties	No data available
t) Oxidizing properties	none
Solubility	insoluble in H <sub>2</sub> O, dilute acid solutions, alkaline solutions

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Chemical stability

sensitive to moisture

### 10.2 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

Acids

### 10.3 Conditions to avoid

Reacts dangerously with glass.

Moisture.

## 10.4 Incompatible materials

glass

## 10.5 Hazardous decomposition products

In the event of fire: see section 5

---

# SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

### Acute toxicity

Oral: No data available

Inhalation: No data available

Dermal: No data available

### Skin corrosion/irritation

Remarks: Causes skin burns.

### Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

### Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

### Germ cell mutagenicity

Classified based on available data. For more details, see section 2

### Carcinogenicity

Classified based on available data. For more details, see section 2

### Reproductive toxicity

Classified based on available data. For more details, see section 2

### Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

### Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

### Aspiration hazard

Classified based on available data. For more details, see section 2

## 11.2 Additional Information

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia.

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

# SECTION 12: Ecological information

## 12.1 Toxicity

No data available

### **12.2 Persistence and degradability**

No data available

### **12.3 Bioaccumulative potential**

No data available

### **12.4 Mobility in soil**

No data available

### **12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### **12.6 Endocrine disrupting properties**

No data available

### **12.7 Other adverse effects**

No data available

---

## SECTION 13: Disposal considerations

### **13.1 Waste treatment methods**

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

---

## SECTION 14: Transport information

### **14.1 UN number**

ADR/RID: 3260

IMDG: 3260

IATA-DGR: 3260

### **14.2 UN proper shipping name**

ADR/RID: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Titanium trifluoride) (Titanium trifluoride)

IMDG: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Titanium trifluoride) (Titanium trifluoride)

IATA-DGR: Corrosive solid, acidic, inorganic, n.o.s. (Titanium trifluoride) (Titanium trifluoride)

### **14.3 Transport hazard class(es)**

ADR/RID: 8

IMDG: 8

IATA-DGR: 8

### **14.4 Packaging group**

ADR/RID: II  
IMDG: II  
IATA-DGR: II

#### **14.5 Environmental hazards**

ADR/RID: no  
IMDG Marine pollutant: no  
IATA-DGR: no

#### **14.6 Special precautions for user**

Based on chemical properties, choose appropriate tools and conditions of transport.

Transporting tools shall be equipped with appropriate and sufficient firefighting equipment and emergency leaking installations. If transporting by road, please go along the specified route.

#### **14.7 Incompatible materials**

glass

---

## SECTION 15: Regulatory information

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Occupational Labor Protection in the at workplaces where Toxic Substances Are Used

Catalogue of Highly Toxic Chemicals : Listed

Measures on the Environmental Administration of New Chemical Substances Registration

Registration/Notification number : B1A222232334

Downstream users need to comply with the conditions of safe use of the chemical, understand the environmental and health hazard and risk management measures identified on the SDS as well as the local/national regulations concerning the chemical.

Other regulations

Please pay attention on the waste treatment should also comply with local regulations requirement.

---

## SECTION 16: Other information

### **Abbreviations and acronyms**

CAS: Chemical Abstracts Service

TWA: Time-Weighted Average

STEL: Short-Term Exposure Limit

LD50: Lethal Dose 50%

LC50: Lethal Concentration 50%

EC50: Effective Concentration 50%

PEL: Permissible Exposure Limit

TLV: Threshold Limit Value

IMDG: International Maritime Dangerous Goods Code

IATA: International Air Transport Association

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

DOT: US Department of Transportation

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety and Health Administration

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.