

## Chemical Safety Data Sheet MSDS / SDS

## Triethylenediamine

Revision Date:2025-05-03 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : Triethylenediamine  
CBnumber : CB9164730  
CAS : 280-57-9  
EINECS Number : 205-999-9  
Synonyms : DABCO,DBACO

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

## Precautionary statements

P501 Dispose of contents/container to.....

P405 Store locked up.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P270 Do not eat, drink or smoke when using this product.

P264 Wash skin thoroughly after handling.

P264 Wash hands thoroughly after handling.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.  
P240 Ground/bond container and receiving equipment.  
P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

#### **Hazard statements**

H318 Causes serious eye damage  
H315 Causes skin irritation  
H314 Causes severe skin burns and eye damage  
H302 Harmful if swallowed  
H228 Flammable solid  
H412 Harmful to aquatic life with long lasting effects  
H335 May cause respiratory irritation  
H319 Causes serious eye irritation

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: Triethylenediamine
Synonyms	: DABCO,DBACO
CAS	: 280-57-9
EC number	: 205-999-9
MF	: C <sub>6</sub> H <sub>12</sub> N <sub>2</sub>
MW	: 112.17

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### **If inhaled**

After inhalation: fresh air.

#### **In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### **In case of eye contact**

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### **If swallowed**

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### **Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **Indication of any immediate medical attention and special treatment needed**

---

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Nature of decomposition products not known. Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.


### Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### NFPA 704



**HEALTH** 3 Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium hypochlorite](#), hexafluorosilicic acid)

**FIRE** 2 Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, [sulfur](#))

**REACT** 1 Normally stable, but can become unstable at elevated temperatures and pressures (e.g. [propene](#))

**SPEC.**

**HAZ.**

---

## SECTION 6: Accidental release measures

## **Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

## **Environmental precautions**

Do not let product enter drains. Risk of explosion.

## **Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

## **Reference to other sections**

For disposal see section 13.

---

# **SECTION 7: Handling and storage**

## **Precautions for safe handling**

## **Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

## **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## **Conditions for safe storage, including any incompatibilities**

## **Storage conditions**

Tightly closed. Keep away from heat and sources of ignition.

strongly hygroscopic Air and moisture sensitive. Handle and store under inert gas.

## **Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

# **SECTION 8: Exposure controls/personal protection**

## **control parameter**

## **Hazard composition and occupational exposure limits**

Does not contain substances with occupational exposure limits.

## **Exposure controls**

## **Personal protective equipment**

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:KCL 741 Dermatrill? L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:KCL 741 Dermatrill? L

### Body Protection

Flame retardant antistatic protective clothing.

### Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

### Control of environmental exposure

Do not let product enter drains. Risk of explosion.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	white crystalline
Odour	Ammonia odor
Odour Threshold	No data available
pH	at 20 °C alkaline, Aqueous solution
Melting point/freezing point	Melting point/range: 156 - 159 °C
Initial boiling point and boiling range	173,4 °C at 1.000 hPa
Flash point	62,2 °C - closed cup - ISO 1523
Evaporation rate	No data available
Flammability (solid, gas)	The substance or mixture is a flammable solid with the category 1. - Regulation (EC) No. 440/2008,

Upper/lower flammability or explosive limits	No data available
Vapour pressure	0,43 hPa at 23 °C - OECD Test Guideline 104
Vapour density	No data available
Relative density	No data available
Water solubility	610 g/l at 25 °C - soluble
Partition coefficient: n-octanol/water	log Pow: -0,49 at 20 °C - (calculated) - (Lit.), Bioaccumulation is not expected.
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available

### Other safety information

No data available

## SECTION 10: Stability and reactivity

### Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### Possibility of hazardous reactions

Violent reactions possible with:

mineral acids

Strong oxidizing agents peroxi compounds

iron/iron-containing compounds acids

Risk of explosion with:

hydrogen peroxide

### Conditions to avoid

Exposure to moisture. Strong heating.

### Incompatible materials

Aluminum, Iron, Copper, Zinc

### Hazardous decomposition products

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 700 mg/kg Remarks: (ECHA)

Symptoms: Possible damages: , mucosal irritations

LD50 Dermal - Rabbit - male and female - > 2.000 mg/kg Remarks: (ECHA)

#### Skin corrosion/irritation

Skin - Rabbit Result: Irritations Remarks: (ECHA)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage. (OECD Test Guideline 405)

#### Respiratory or skin sensitization

(OECD Test Guideline 406)

#### Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium Metabolic activation: Metabolic activation Method: OECD Test Guideline 471 Result: negative

Test Type: Chromosome aberration test Species: Mouse

Cell type: Bone marrow

Method: OECD Test Guideline 474 Result: negative

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

#### Toxicity

LD50 orally in Rabbit: 700 mg/kg

---

## SECTION 12: Ecological information

### Toxicity

#### Toxicity to fish

static test LC50 - Cyprinus carpio (Carp) - > 100 mg/l - 96 h (OECD Test Guideline 203)

#### Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)

#### **Toxicity to algae**

static test EC50 - Pseudokirchneriella subcapitata (green algae) - 110 mg/l - 72 h  
(OECD Test Guideline 201)

static test NOEC - Pseudokirchneriella subcapitata (green algae) - 46 mg/l - 72 h  
(OECD Test Guideline 201)

#### **Toxicity to bacteria**

static test EC50 - Pseudomonas putida - 355,6 mg/l - 17 h Remarks: (ECHA)

### **Persistence and degradability**

Biodegradability aerobic - Exposure time 28 d

Result: 7 % - Not readily biodegradable. (OECD Test Guideline 301B)

### **Bioaccumulative potential**

Bioaccumulation Cyprinus carpio (Carp) - 42 d  
- 1 mg/l(1,4-Diazabicyclo[2.2.2]octane)

Bioconcentration factor (BCF): < 1,3 (OECD Test Guideline 305C)

### **Mobility in soil**

No data available

### **Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **Toxics Screening Level**

The ITSL for Triethylenediamine is 6 µg/m<sup>3</sup> annual average.

### **Other adverse effects**

No data available

---

## SECTION 13: Disposal considerations

### **Waste treatment methods**

### **Product**

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information



**UN number**

ADR/RID: 1325 IMDG: 1325 IATA: 1325

**UN proper shipping name**

ADR/RID: FLAMMABLE SOLID, ORGANIC, N.O.S. (1,4-Diazabicyclo[2.2.2]octane) IMDG: FLAMMABLE SOLID, ORGANIC, N.O.S. (1,4-Diazabicyclo[2.2.2]octane)

IATA: Flammable solid, organic, n.o.s. (1,4-Diazabicyclo[2.2.2]octane)

**Transport hazard class(es)**

ADR/RID: 4.1 IMDG: 4.1 IATA: 4.1

**Packaging group**

ADR/RID: II IMDG: II IATA: II

**Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

**Special precautions for user**

No data available

---

## SECTION 15: Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture****Regulations on the Safety Management of Hazardous Chemicals**

China Catalog of Hazardous chemicals 2015:Not Listed. website: <https://www.mem.gov.cn/>

**Measures for Environmental Management of New Chemical Substances**

EC Inventory:Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: <https://www.mee.gov.cn/>

Vietnam National Chemical Inventory:Listed. website: <https://chemicaldata.gov.vn/>

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: <https://www.epa.gov/>

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: <https://emb.gov.ph/>

New Zealand Inventory of Chemicals (NZIoC):Listed. website: <https://www.epa.govt.nz/>

Korea Existing Chemicals List (KECL):Listed. website: <http://ncis.nier.go.kr>

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: <https://echa.europa.eu/>

---

## SECTION 16: Other information

**Abbreviations and acronyms**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit

TWA: Time Weighted Average

## References

- 【1】 CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- 【2】 ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- 【3】 ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>
- 【4】 eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:  
[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)
- 【5】 ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- 【6】 Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- 【7】 HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- 【8】 IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- 【9】 IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- 【10】 Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.